

Standards of Cover

La Crosse Fire Department 2014



Introduction

The following report serves as the La Crosse Fire Department “Integrated Risk Management Plan: Standards of Cover” document. The Commission on Fire Accreditation International (CFAI) defines the process, known as “deployment analysis” as written procedure which determines the distribution and concentration of fixed and mobile resources of an organization. This document will assist the agency in ensuring a safe and effective response force for fire suppression, emergency medical services, and specialty response situations in addition to homeland security issues.

Creating an Integrated Response Management Plan Standards of Cover requires that a number of areas be researched, studied, and evaluated. The following report will begin with an overview of the community and the agency. Following this overview, the agency will discuss areas such as risk assessment, critical task analysis, agency service level objectives, and distribution and concentration measures. The agency will provide documentation of reliability studies and historical performance through charts and graphs.

The analysis for this document includes a historical perspective using data from the years 2010, 2011, 2012, and 2013. Although all incident types are taken into consideration, the primary efforts remain with all emergency fire, emergency medical, emergency rescue, emergency hazardous materials incidents, and emergency report out incidents (bomb threats, power line complaints, odor complaints, water complaints, and airport stand by).

Table of Contents

Introduction	2
Executive Summary	5
Standards of Cover and Accreditation.....	8
Community Overview	9
Services Provided	25
Historical Formation and Development of the La Crosse Fire Department	25
Legal Establishment	28
Current Station Locations	29
La Crosse Fire Department Apparatus	31
La Crosse Fire Department Table of Organization	32
Agency Overview	33
The Future	37
Community Expectations and Performance Goals	38
Community Benchmarks and Baselines	43
Performance Objective Measurements	44
Community Risk Assessment	47
Community Risk Management	48
Planning Zone Risk Assessment and Response Analysis	49
Structural Fire Risk Assessment	51
Non-Structural Risk Assessment	53
Natural Hazard Assessment	59
Population Analysis	66
Technological/Human Hazard Assessment	68
Security Hazard Assessment	72
Critical Task Analysis	74

Historical Perspective and a Summary of the System Performance with Performance Objectives and Performance Measures.....	75
Resource Management	75
Evaluating Community Risk	77
Evaluating Fire Suppression Capabilities	78
Evaluating EMS Capabilities	83
Distribution	85
GIS Analysis	86
Concentration	87
Performance Objectives	88
Availability vs. Reliability	93
Stop-Loss Points and Resources Exhaustion	96
Comparability	97
Effective Response Force (ERF)	98
Demand Planning Zone Evaluation	107
Compliance Methodology	108
Strategic Initiatives and Goals	109
Overall Evaluation	117
Identification of System Strengths/Weakness/Opportunities/Threats (SWOT).....	117
Conclusions/Recommendations	119
Appendixes	END

Executive Summary

The La Crosse Fire Department is committed to being recognized as an internationally accredited agency through the Commission on Fire Accreditation International (CFAI). Part of this process involves creating a Standards of Cover document to assist with:

- Evaluating and defining an agency's baseline of operations
- Identifying benchmarks for achieving the agency's goals and objectives
- Determining levels of service for all portions of the community
- Measuring an agency's performance over different budget or operational years

Risk Definitions

The agency has conducted an overall risk assessment of the community. Both fire and non-fire risks were evaluated; starting with individual buildings and continuing with a systematic evaluation of each planning map zone. Fire risks were categorized as low, moderate, high, and maximum/special; based on several life safety and consequential factors such as probability, economic impact, etc. Non-fire risks including medical risk, rescue risk, hazardous materials risk, and natural disaster risk were also included in the evaluation and categorized in a similar manner.

Performance Goals, Objectives, and Measures

The agency set performance goals and objectives and measured for five risk categories; emergency fire, emergency medical, emergency rescue, emergency hazardous materials, and emergency report out incidents (bomb threats, power line complaints, odor complaints, water complaints, and airport stand by).

Level of Service

It is necessary for the agency to evaluate historical response data for the past four years (2010 to 2013) for the typical emergency response risks for; emergency fire, emergency medical, emergency rescue, emergency hazardous materials, and emergency report outs within the community.

Data was measured against current baseline performance objectives; having a total distribution response of 7 minutes and 42 seconds at the 90th percentile for the first arriving unit, as established by the CFAI. Once the analysis was completed, the agency established benchmark response performance objectives, which will become what the agency will continue to strive to meet as part of its on-going efforts towards self improvement.

Benchmark service level objectives have been established for the overall initial response for the first arriving unit to be 6 minutes 30 seconds 90% of the time. The objectives further describe responses for low, moderate, and high risk factors for each of the five risk categories (emergency fire, emergency medical, emergency rescue, emergency hazardous material, and emergency report out incidents).

Availability and reliability of each first due unit within their respective districts was measured to determine how often the unit was available to respond to calls within their area of coverage. Of those calls responded to within each planning zone of the respective area of coverage, further evaluation was conducted to determine the percentage of times they were responded to within the established 6 minutes and 30 seconds benchmark.

Compliance Methodology

Established performance objectives and other goals and objectives will be monitored regularly by command staff to ensure that the plans put into place for self-improvement are measurable and attainable. When necessary, modifications to the various systems will occur as part of the compliance methodology. Established goals and objectives will also be monitored for progress to completion; with new goals and objectives being introduced on a continuing cycle.

Conclusions and Recommendations

The accreditation process is focused on continues improvement; of which the success of the Standards of Cover and related goals and objectives plays a substantial part in providing a more efficient and effective agency for the community. A summary of recommendations are as follows in no particular order of importance:

- There was room for improvement of first due response times. The agency conducted an analysis of turnout and response times for the time period 2010 – 2013. The agency requested personnel to provide input on how to improve overall turnout and response times. The agency initiated corrective measures identified through the improvement process and is monitoring progress.
- The agency needed fully equipped and reliable reserve apparatus. Additional equipment has been added to reserve apparatus to make them front line ready. Repairs have been, and will continue, to be made to reserve apparatus to make them front line ready.
- The agency's training tower needed to be refurbished. The live fire training portion of the training tower was recently refurbished to meet standards.
- Prior to the accreditation process, the agency had never identified high risk occupancies or adopted response strategies for high risk occupancies. The agency conducted a building risk assessment to identify high risk properties. The agency changed its response (increased apparatus and resulting personnel) to fires at high risk occupancies. Prior to the accreditation process the agency based response strategies solely on geography and response zones.
- The agency identified the need for an additional fire station or the relocation of fire stations. The agency will source funding in 2014 for a study on optimum station locations. The agency will conduct a study beginning in 2015 to analyze optimum station locations. The agency will present a plan to implement fire station additions or relocations to the La Crosse Common Council for approval in 2015/2016.

- The agency identified the need to replace the city wide radio system. The agency and City of La Crosse sourced funds for a new radio system in 2013. The agency invited vendors for radio presentations in 2013. The agency will purchase, implement, and train with the new radio system in 2015.

Although the agency has identified specific improvement needs and challenges, it is confident that by working within the established parameters identified above and within other applicable accreditation documents, the agency will meet its performance objectives and expectations of the CFAI.

Standards of Cover and Accreditation

The Standards of Cover is a major component of the agency's commitment towards the internationally recognized accreditation process. Through the coordinated assistance of the Commission on Fire Accreditation International (CFAI), the agency's self-assessment efforts towards achieving continued improved services will evolve for years to come.

The CFAI specifies that an agency must review its historical data for a minimum of three years for a valid analysis. Attaining accreditation will benefit both the agency and the community it serves by creating a culture that focuses on self-improved services through the effective implementation of current and identified future resources.


This process also encourages and assists the agency with improved decision making policies, procedures, and practices that will positively impact the organizational culture.

Community Overview


“Here is a town of twelve or thirteen thousand population with electric lighted streets and with blocks of buildings which are stately enough, and architecturally fine enough to command respect in any city. It is a choice town and we made satisfactory use in roaming it over”

Mark Twain on La Crosse, Wisconsin in 1882

The City of La Crosse is located on the mighty Mississippi River, approximately 140 miles northwest of Wisconsin’s capital city of Madison. La Crosse is located approximately 155 miles to the southeast of Minneapolis, Minnesota and 280 miles to the northwest of Chicago, Illinois.




La Crosse has a population of 51,800 and covers 22 square miles. The shape of the city is determined by the Mississippi River on the west and south and the sandstone bluffs on the east. These defining characteristics of La Crosse have caused the city to become very long and narrow. A large marsh along the La Crosse River separates the city between north and south. To the north lies the Town of Campbell and the City of Onalaska, and its southeast border meets the Town of Shelby.



La Crosse has its beginnings as a trading post on the Mississippi River. The city as we know it developed in 1851 with the introduction of local sawmills. This brought an increase in population, and an increase in the size of the city. Steamboat traffic grew from four boats per year in 1851 to 1,312 boats during 1858. La Crosse continued steady expansion, both in population and area, when the first railroad line, the La Crosse & Milwaukee Railroad was run into La Crosse in 1858. Railroads helped to bring in waves of immigrants between 1870 and 1890. These immigrants were predominantly German and Norwegian. The population of foreign born immigrants got as high as 37% in 1880. The logging industry began to decline near the end of the nineteenth century when the supposedly “inexhaustible” supply of pine was exhausted. However, manufacturing jobs were on the rise, so the economic progress of La Crosse was not halted, but shifted in a new direction. La Crosse became home to several industries including a rubber mills, several breweries, and a button company.


La Crosse’s population grew steadily, until nearly reaching its ceiling in the 1970’s. La Crosse had maximized its land use, and its population has remained steady to current day. La Crosse’s population saw a decline from 2000 to 2010 (as noted in the following charts).



Source: U.S. Census Bureau


Year	Population Numbers
2010	51,320
2000	51,965
1970	50,285
1940	42,707
1910	30,417
1880	14,505

Percent of Population



Source: U.S. Census Bureau


Age	Percent of Population
Under 5 Years	5%
Under 18 Years	16.20%
18-65 Years	65.70%
Over 65	13.10%



Race	Percent
White	89.80%
Black	2.30%
American Indian and Alaska Native	0.60%
Asian	4.90%
Two or more races	2.10%
Hispanic or Latino	2.00%


Source: U.S. Census Bureau	
Home ownership rate 2007-2011	50.80%
Housing units in multi-unit structures 2007-2011	42.30%
Median value of owner-occupied housing units 2007-2011	\$126,800
Households 2007-2011	21,098
Persons per household 2007-2011	2.18
Per capita money income in the past 12 months (2011 dollars) 2007-2011	\$21,383
Median household income, 2007-2011	\$38,287
Persons below poverty level 2007-2011	23.10%
Land area in square miles 2010	20.52
Persons per square mile 2010	2,501.20
Total housing units	21,098
Occupied housing units	19,849
Vacant housing	1,249
Income and benefits (2011 inflation-adjusted dollars) Median household income	\$42,174
Income and benefits (2011 inflation-adjusted dollars) Mean household income	\$57,708
Income and benefits (2011 inflation-adjusted dollars) Median family income	\$62,682
Income and benefits (2011 inflation-adjusted dollars) Mean family income	\$79,581

The U.S. Census Bureau was used to analyze La Crosse housing demographics:




Value	Number of Owner Occupied units	Percent of Owner-occupied units
Less than \$50,000	808	7.10%
\$50,000-\$99,999	1,438	12.70%
\$100,000-\$149,999	3,953	34.80%
\$150,000-\$199,999	2,393	21.10%
\$200,000-\$299,999	1,891	16.70%
\$300,000-\$499,999	712	6.30%
\$500,000-\$999,999	131	1.20%
1,000,000 or more	20	0.20%

The U.S. Census Bureau was used to analyze La Crosse housing demographics:




Year Built	Number of Structures Built	Percent of Structures in La Crosse
2005 or Later	670	3.20%
2000-2004	1,085	5.10%
1990-1999	2,213	10.50%
1980-1989	2,089	9.90%
1970-1979	2,787	13.20%
1960-1969	2,199	10.40%
1950-1959	2,801	13.30%
1940-1949	1,752	8.30%
1939 or earlier	5,504	26.10%

The U.S. Census Bureau was used to analyze La Crosse work force demographics:



Occupation	Number of people Employed	Percent of people employed
Management, business, science, and arts	9,295	35.90%
Service	5,330	20.60%
Sales and office	6,142	23.70%
Natural resources, construction, and maintenance	1,702	6.60%
Production, transportation, and material moving	3,438	13.30%


The U.S. Census Bureau was used to analyze La Crosse work force demographics:



The U.S. Census Bureau was used to analyze La Crosse work force demographics:

Industry	Number of people Employed	Percent of people employed
Agriculture, forestry, fishing, hunting, and mining	324	1.30%
Construction	1,277	4.90%
Manufacturing	2,909	11.20%
Wholesale trade	581	2.20%
Retail trade	4,057	15.70%
Transportation and warehousing and utilities	927	3.60%
Information	655	2.50%
Finance and insurance, and real estate and rental leasing	864	3.30%
Professional, scientific, and management, and administrative and waste management services	2,190	8.50%
Educational services, and health care and social assistance	7,501	29.00%
Arts, entertainment, and recreation, and accommodation and food service	2,943	11.40%
Other services, except public administration	926	3.60%
Public administration	753	2.90%

Many businesses call La Crosse home, including Gundersen Healthcare, Franciscan Skemp/Mayo Healthcare, Trane Company, CenturyTel, Logistics Health, Chart Industries, Kwik Trip, Hydrite Chemical and City Brewery which transports and off loads nearly 500,000 gallons of ethanol each year.



The following are critical infrastructure assets in La Crosse:

Electricity & Nuclear - Xcel Energy, Dairyland Power Cooperative, Genoa Nuclear Power Plant near Genoa, WI. (located only twelve miles to the south of La Crosse) and Prairie Island Nuclear Power Plant near Red Wing, MN. (both facilities store radioactive spent fuel) are in the agency's radiological field team response district.

Gas/Oil – Northern Natural Gas Company submerged pipeline, 18-inch, 800-1200 p.s.i., running across the riverbed of the Mississippi River, serving Midwest Natural Gas Co. and WE Energies.

Transportation Systems – Interstate I-90 and numerous State highways are critical to transportation in the agency's response region. La Crosse railway traffic (transporting hazardous materials such as crude oil) includes the Canadian Pacific Railway that operates 28 trains per day including two Amtrak passenger trains and the Burlington Northern-Santa Fe that operates 40 to 50 trains per day. There are several major rivers in the agency's response region, the Mississippi River, the Black River, and the La Crosse River. La Crosse has 23 miles of shoreline and 1,350 acres of marshland. Barge traffic on the Mississippi River brings 4,594 barges annually transporting 45,575 tons of petroleum and 966,115 tons of chemical fertilizers. The La Crosse Regional Airport transports 200,000 passengers annually.

Public Health – There are two major medical facilities in La Crosse, Franciscan Skemp/Mayo Healthcare and Gundersen Healthcare.

Chemical Facilities - Hydrite Chemical, located in La Crosse near the Black River, is one of the nation's largest independent providers of chemicals and services, shipping and storing more than 400 different chemicals. Hydrite Chemical has a bulk storage capacity of 2,027,500 gallons. La Crosse has 87 facilities that have a reportable amount of hazardous materials.

Institutions of Higher Learning - the University of Wisconsin La Crosse, Viterbo University, and Western Technical College have a combined student population of over 17,000.

City of La Crosse Water Utility - La Crosse has a 5 million gallon reservoir to maintain water system pressure and store water for high demand and for fire protection. La Crosse utilizes 15 high pressure wells and 220 miles of water mains.

La Crosse, like most cities its size, relies heavily on property tax collections as a main source of revenue. La Crosse is severely limited in its opportunity to collect money through property tax revenue. Due to a large amount of tax exempt properties (such as hospitals, universities, churches, etc.) about 40% of property values in La Crosse are tax exempt. La Crosse has an aging housing stock, with 26% of all properties built prior to 1939. With three universities in town La Crosse has an unusually large number of rental properties, at 49% of its total housing stock.



According to the latest United States Census Bureau's statistics the median income of La Crosse workers is \$31,103 as compared to the Wisconsin average of \$43,791 and the national average of \$41,994. Twenty three percent of all La Crosse citizens fall below the poverty level as compared to the state average of nine percent and the national average of twelve percent.

Weather and Climate:

La Crosse’s weather and climate is known for its extreme heat in the summer and extreme cold in the winter. Winter snowfall leaves the potential for response times being delayed during the months of November through March because of inclement weather related road conditions. According to the National Weather Service, La Crosse has historic tornado activity that is 75% greater than the national average. (The most recent devastating tornado was in May of 2011).

	January	February	March	April	May	June	July	August	September	October	November	December	Year
Average Temperature (degrees F)	17.5	22.6	34.6	48.8	59.9	69.4	73.8	71.5	62.9	50.3	36.3	22.3	47.5
Average Precipitation (inches)	1.11	1.05	2.04	3.33	3.51	4.34	4.26	4.29	3.56	2.15	2.07	1.35	33.08
Average Snowfall (inches)	11.6	8	7.2	1.9	0	0	0	0	0	0.2	4.5	11.8	45.1
Average Snow Depth (inches)	5	4.6	1.4	0.1	0	0	0	0	0	0	0.4	3.7	1.3

Source: National Weather Service



Source: National Weather Service

Governance Model of the Authority Having Jurisdiction

The City of La Crosse is governed by a Mayor and seventeen Common Council Members, whom serve four year terms. The city is divided into seventeen aldermanic districts. The Mayor and Common Council Members are responsible for policy and decision making, monitoring the operations of the city, analyzing and approving budgets, and determining spending priorities.

See Appendix A for a map of aldermanic districts.

Services Provided

Historical Formation and Development of the La Crosse Fire Department

A close look at the history of the La Crosse Fire Department reveals an organization, which has been able to provide a consistent, high quality service, to a community that has undergone dramatic change. As the community of La Crosse has changed, so has the level of services provided by the agency. The City of La Crosse has grown from a largely manufacturing community (G. Heilman Brewery, Trane Company, and La Crosse Footwear) to a leader in the health care field (Gundersen Healthcare, Franciscan Mayo Healthcare, and Logistics Health Inc.).

The first volunteer fire company in La Crosse (Pioneer Engine Company) was organized in 1857 after the first conflagration of real magnitude occurred on March 7 of that year. After the fire, all buildings on Front Street from State Street to Mt. Vernon Street were left in charred ruins. The agency purchased a hand-pumped fire engine in 1858 and a steam engine in 1867.

The decade of the 1880's saw a great growth for the City of La Crosse. The population of the city had increased from 14,505 in 1881 to over 25,000 by the end of the decade. In 1889 a fire alarm system was installed to keep up with La Crosse's rapid expansion. In 1890 a new water main system with a reservoir was installed to provide a reliable water system for the agency.

The agency remained a strictly volunteer agency until 1896, when a full time, paid agency was established. The new agency was divided into five stations with forty five personnel with two Silsby steam engines, five hose wagons and hose carts, and three hook and ladder trucks. The

agency responded to 232 emergency calls in 1896. La Crosse was also very fortunate in having an excellent water supply, with thirty six miles of water main and 335 hydrants with a water capacity of 20,000,000 gallons.

The end of the horse drawn pumper era, which started in 1874, began to come to an end with the transition to motorized apparatus in 1915. In 1925 the city allocated \$1,300 to the agency for a rebuilt Pierce-Arrow combination chemical and hose motor cart. La Crosse grew and expanded in the 1940's and 1950's, forcing the agency to grow as well.

In 1957, 93 authorized firefighters worked out of five stations and responded to 729 emergency calls. In 1968, 102 authorized firefighters responded from four fire stations to 882 total calls, of which thirty were medical in nature. In comparison, in 2013 the agency responded with 92 personnel to 5,042 total calls, of which 3,694 were medical calls.

In 1983 the 911 La Crosse County Emergency Dispatch Center (EDC) opened to serve La Crosse County. Between 1967 and 1983 all fire dispatching for the City of La Crosse was conducted by firefighters from fire station 1 at 5th and Market Streets. La Crosse County 911 EDC is still operating today out of the La Crosse County Law Enforcement Center.

In 1993, the agency trained personnel to the EMT-D (Emergency Medical Technician Defibrillation) level to answer a growing need to provide quality Emergency Medical Services. In 1997, the agency was reorganized from an engine/truck based system to a Quint based system, with light rescue apparatus added to respond to a growing need in Emergency Medical Services.

In the early 1990's the agency recognized the need to provide specialized emergency services in the fields of hazardous material, technical rescue, and water rescue. La Crosse has a rugged topography of bluff land, three major rivers (Mississippi, La Crosse, and Black), and major transportation hubs (Mississippi River, Interstate 90, and Burlington Northern – Santa Fe railway) forcing the need for these three specialty teams. Over the years these specialty teams have evolved into State of Wisconsin regional teams in Urban Search and Rescue and in hazardous materials.

The agency has provided fire inspection training to its members and provided fire inspections for all residential properties over two units, and commercial properties. The agency inspection/

public education bureau has evolved over the years and has provided services in code enforcement, fire investigations, fire sprinkler and alarm testing, plan reviews, underground and above ground tank inspections, reviews for fireworks and pyrotechnics, juvenile fire setters program, pre planning, and fire safety public education.

Each year during fire prevention week in October, for the past thirty years, firefighters have visited nineteen area schools, reaching more than 2,500 children from preschool to fifth grade. During these school visits, and at other public events throughout the year, members have used the agency's Fire Safety House to educate children and adults on how to safely escape a house fire.

In recent years the agency's maintenance bureau has maintained; buildings and grounds for four fire stations, seventeen fire apparatus, and eight support vehicles. The maintenance bureau has conducted annual certification testing for all agency ladders, hose, pumps, SCBA's, and equipment.

If only the first volunteers from the 1850's could see how far the agency has come; from the bucket brigades, to the first hand pumped fire engines, to horse-drawn steam engines, to the first motorized apparatus, to the high powered diesel fire engines of today; from ringing a bell for an alerting system, to the highly computerized 911 emergency dispatch center of today. In the early years firefighters only fought fires. Over the past 150 years the agency has changed with the times to provide a high quality service that specializes in mitigating any rescue or disaster situation. The agency has embraced the concept of "community services", in that the agency is a part of the community that we live.

Special Response Capabilities

- The La Crosse Fire Department has a fully equipped hazardous material response team trained to operations & technician level. This team is a regional member of the State of Wisconsin hazardous materials response network
- The La Crosse Fire Department has a fully equipped radiological field response team. This team is a regional member of the State of Wisconsin radiological response network

- The La Crosse Fire Department has a fully equipped Urban Search and Rescue (USAR) response team. This team is a regional member of the State of Wisconsin USAR response network
- The La Crosse Fire Department has a fully equipped Water/Ice rescue response team
- Engines, quints, and rescues apparatus are equipped with hydraulic extrication and rescue equipment
- Engines, quints, and rescue apparatus are equipped with first responder medical supplies; including defibrillators
- In 2014 the La Crosse Fire Department became a State of Wisconsin EMS pilot program for the delivery of Narcan (treatment for narcotic overdoses)

Legal Establishment

The La Crosse Fire Department was legally established in 1895 by City Ordinance 249. The ability to enforce local and state fire codes is outlined in Municipal Code, Chapter III, Section 3.13. The Board of Police and Fire Commission is authorized by Wisconsin Statute 62.13.

Fire Stations

The agency currently operates out of four fire stations. The agency's administrative center, inspection bureau, training bureau, and maintenance shop operate out fire station #1 in the downtown district.

See Appendix B for a fire station location map.

See Appendix C for a response zone map for the four fire stations.

Current Station Locations



Station 1 at 726 5th Avenue South – built in 1967 (Downtown District)



Station 2 at 626 Monitor Street – built in 1957 (North District)

Current Station Locations




Station 3 at 1710 Losey Blvd. S. – built in 1967 (South District)




Station 4 at 906 Gillette Street – built in 1941 (North District)

La Crosse Fire Department Apparatus



The agency operates a three platoon system, with a minimum staffing level of twenty four personnel per shift. There are 92 uniformed personnel, consisting of one fire chief, one assistant chief, five division chiefs, one facilities maintenance mechanic, 16 captains, 10 lieutenants, 27 engineers, and 31 firefighters. There is one Clerk/Typist and one Medical Director.

La Crosse Fire Department Table of Organization




Agency Overview

The agency operates nine front line apparatus out of its four stations (Squad, Engine 1, Quint 1, Heavy Rescue, Quint 2, Rescue 2, Quint 3, Rescue 3, and Engine 4). The agency has two reserve engines. The agency provides specialized services for hazardous materials, water rescue, high-angle rescue, confined space rescue, trench rescue, structural collapse, and vehicle extrication. The agency is a Level "A" Regional Hazardous Materials Team for the State of Wisconsin, serving nine counties. The agency is also a member of the Wisconsin Heavy Task Force 2 Collapse Response Team, covering nineteen of the State's seventy two counties, specializing in the confined space, rope rescue, trench rescue, and structural collapse. The agency provides technical rope rescues on our bluffs and water rescues in our rivers and marshes. The agency protects 23 miles of river shoreline, 1,350 acres of marsh grass, and 265 miles of biking trails.

The agency has an approximate annual operating budget (2014) of \$9,827,000 and responds to approximately 14 calls per day; for an overall average of approximately 5,000 calls per year.


Year	Total Responses	Average Responses Per Day
2010	4,828	13.22
2011	5,074	13.90
2012	4,946	13.55
2013	5,042	13.81

2010 through 2013 agency response types are shown below:



NFIRS Description 1	Incidents	Units
	19,726	31,634
Special Incident Type	65	100
Severe Weather & Natural Disaster	29	50
Service Call	693	960
Rescue & Emergency Medical Service Incident	14,551	16,388
Overpressure Rupture, Explosion, Overheat(no fire)	25	102
Hazardous Condition (No Fire)	845	1,668
Good Intent Call	1,003	1,911
Fire	528	2,253
False Alarm & False Call	1,985	8,195
Other	2	7


2010 through 2013 agency incident time of day analysis is shown below:



Incident & Unit Counts by Hour

Hour	Incidents	Units
	19,726	31,634
23	686	1,034
22	818	1,251
21	1,016	1,806
20	941	1,383
19	1,037	1,629
18	1,046	1,606
17	1,069	1,758
16	1,029	1,756
15	1,027	1,737
14	1,000	1,685
13	967	1,642
12	991	1,505
11	1,004	1,653
10	981	1,576
9	914	1,460
8	837	1,354
7	656	1,124
6	472	762
5	377	599
4	422	681
3	461	665
2	696	1,058
1	601	849
0	678	1,061

2010 through 2013 agency response by apparatus is shown below:



Apparatus	Number of Responses
Heavy Rescue	6,872
Rescue 3	4,776
Engine 1	3,937
Rescue 2	3,674
Engine 4	3,120
Quint 1	2,937
Quint 3	2,314
Quint 2	2,146
Squad	1,858
Total	31,634

The Future

The geography of La Crosse has not allowed for recent expansion, and will most likely limit future growth and expansion. The Mississippi River borders La Crosse to the west, steep bluff land to the east, the City of Onalaska to the north, and the Town of Shelby to the south. The only place for expansion is along the Highway 14/61 corridor to the southeast, which continues to grow away from Station 3 (nearest fire station on the south side). Space is limited to annex or expand, which has limited La Crosse's geographical growth and population growth. There is limited room for future residential, commercial, or manufacturing projects. All of La Crosse's already aging buildings continue to grow older every year.

Requests for emergency services have steadily increased, with no end to this trend in site. A look at call volume by decade shows this steady increase; 1960 – 849 calls, 1970 – 932 calls, 1980 - 1,527 calls, 1990 – 2,747 calls, 2000 – 3,404 calls, 2010 – 4,828 calls. What can we predict in the future? Our best guess is a continuing upward trend in emergency responses.

A review of emergency responses and response times to outlying areas near the La Crosse Municipal Airport, Valley View Mall, Highway 16 corridor, County Road B corridor, and Highway 14/61 corridor, show a possible need for future fire station expansion or relocation. These changing areas of La Crosse have seen an increase in demand for agency services.

The agency will continue to protect the lives and property of residents and visitors by utilizing innovative strategies designed to provide cost effective emergency service, fire prevention, fire suppression, and all other specialized emergency services. The City of La Crosse will continue to support the agency and the agency will continue its mission to provide adequate funding for staffing, training, equipment, and facilities.

The agency's future performance goals and objectives are listed in the La Crosse Fire Department's 2014 to 2018 strategic plan.

Community Expectations and Performance Goals

The following is the La Crosse Fire Department mission statement:

“The La Crosse Fire Department serves all who live in and visit the City of La Crosse through excellence in fire protection, safety, emergency medical services, rescue and educational services at the highest professional standard in a compassionate, ethical, and cost effective manner.”

This comprehensive standards of coverage and deployment plan addresses the following community questions:

- What is the nature of the environment in which the agency delivers service?
- What level of risk exists within the community (life and property)?
- How will the community evolve in the future?
- What level of service is expected of the agency?
- What resources (facilities, apparatus, and personnel) are needed to safely and effectively deliver the desired level of service?
- How should resources be deployed to assure the expected level of service is achieved?
- How will resources need to change in the future in order to maintain the expected level of service?

Viterbo University Study

In 2010, to help better identify community service needs, expectations, and strengths and weaknesses, the La Crosse Fire Department conducted a public input survey with the assistance of Viterbo University. This survey that was mailed to 1000 randomly selected households and businesses in La Crosse, of which there were 100 responses. The survey asked the following questions:

- Are you aware that the La Crosse Fire Department provides services in EMS, fire prevention education, fire inspections, fire suppression, hazardous materials response, water rescue, technical rescue, and extrication?

- Have you ever used La Crosse Fire Department services in EMS, fire prevention education, fire inspections, fire suppression, hazardous materials response, water rescue, technical rescue, and extrication?
- Would you like to see La Crosse Fire Department services expanded, reduced, or remain as is?
- How satisfied are you with the level of expertise, care, and competence of the La Crosse Fire Department personnel?
- Do you think that the La Crosse Fire Department should begin charging for certain services?
- In your opinion, how can the La Crosse Fire Department better meet the needs of the community?

The answers to these questions assisted the agency in setting performance goals in conjunction with the agency's 2010 to 2013 strategic plan.

Strategic Initiatives and Goals

In 2013 the agency conducted community question and answer sessions as a part of its 2014 to 2018 strategic planning process. The results of these community question and answer sessions were the driving force behind many of the performance goals listed in the 2014 to 2018 strategic plan. The agency implemented its community based five-year strategic plan in November of 2013. The plan consists of seven goals and fifteen related objectives. All tasks are accompanied by realistic timelines to ensure each one progresses through to completion; while providing a continuous forward motion towards the agency's self-improvement process. The goals and objectives of the strategic plan are reviewed monthly at administrative staff meetings to evaluate, report, and/or modify accordingly.

See the La Crosse Fire Department 2014 to 2018 strategic plan for all performance goals and objectives.

ISO Rating

The agency was re-evaluated by the Insurance Service Office (ISO) in 2013, and maintained its Class II fire service rating status, which the agency first attained in the mid 1970's. The agency is proud to be one of 28 fire departments, out of approximately 864 fire departments, in Wisconsin that have received a Class II rating. There are no Class I fire departments in Wisconsin.

Performance Goals and the Cascade of Events

In every emergency there is a sequence of events that are critical elements in respect to time and evaluation of the response system, known as the cascade of events and it occurs on every emergency call. Part of the risk assessment includes the evaluation of the agency's ability to respond to emergencies.

Emergency Operations Cascade of Response Elements from State of Normalcy

Pre- Response Elements

- Event Initiation
- Emergency Event
- Alarm
- Notification

Response Time

- Alarm Processing
- Turnout Time
- Travel Time
- On Scene Time

Post Response Elements

- Initiation Action and Termination of Incident

Time Points and Time Intervals:

Event Initiation - the point at which factors occur that may ultimately result in activation of the emergency response system. Precipitating factors can occur seconds, minutes, hours, or even days before the point of awareness is reached. An example is the patient who ignores chest discomfort for days until it reaches a critical point at which time he/she makes the decision (Point of Awareness) to seek assistance. Rarely is it possible to quantify the point at which event initiation occurs.

Emergency Event - the point at which an awareness of conditions exists that requires an activation of the emergency response system. Considered the Point of Awareness, it may be the recognition by an individual that assistance is needed, or it may consist of a mechanical or electronic recognition of an event such as smoke or heat detector activation.

Alarm - the point at which emergency response system activation is initiated. The transmittal of a local or central alarm to public safety answering point is an example of this time point. Again, it is difficult to determine with any degree of reliability the time interval during which this process occurs.

Notification - the time point at which an alarm is received and acknowledged at a communications center. This transmittal may take the form of electronic or mechanical notification to the point at which a call is received and answered in the public safety answering point.

Alarm Processing - the time interval from when the alarm is acknowledged at the communications center until response information begins to be transmitted via voice or electronic means to emergency response facilities (ERF's) and Emergency Response Units (ERU's.) The benchmark for this element of response time is 60 seconds for 90 % of events.

Turnout Time - the time interval that begins when the Emergency Response Facilities (ERF's) and Emergency Response Units (ERU's) notification process begins by either an audible or visual annunciation or both and ends at the beginning point of time travel. For staffed fire stations the

benchmark is 80 seconds for fire and special operations response and 60 seconds for EMS response, for 90 % of events.

Travel Time - time interval that begins when a unit is en route to the emergency and ends when the unit arrives at the scene. This can generally be interpreted as from wheels rolling to wheels stopped. When conducting simulated analysis, travel time is based on 35 mph average or 53.1 feet/second. The benchmark for travel time, is 240 seconds or less travel time for the arrival of the first engine company at a fire suppression incident and 480 seconds or less travel time for the deployment of an initial full alarm assignment at a fire suppression incident; 240 seconds or less travel time for the arrival of a unit with first responder with automatic defibrillator (AED) or higher capability at an emergency medical incident. The benchmark performance objective is 90 % for achievement of travel time objectives.

On - Scene Time - time point at which the responding unit arrives on the scene.

Initiation Action - the time interval from when a unit arrives on the scene to the initiation of emergency mitigation. May include size-up, resource deployment, etc.

Termination of Incident - time point at which unit(s) have completed the assignments and are available to respond to another assignment or emergency request.

Total Response Time – the time interval from the receipt of the alarm at the primary PSAP to when the first emergency response unit is initiating action or intervening to control the incident.

State of Normalcy

If a state of normalcy exists there is no need to call emergency services to the scene. However, once an event initiation begins and the cascade of events begins to unfold the degree of loss of life and property that can be prevented may be impacted by the passage of time.

For the accreditation process, response time is a compilation of the elements beginning with alarm processing time up to on-scene time. It has three elements: alarm handling time, turnout time, and travel time.

Community Baselines/Benchmarks - Therefore, for the purposes of definition and the need to establish a common baseline for purposes of evaluating response time accreditation criteria;

Response time is:

Alarm handling = 60 second/90 % baseline and benchmark

Turnout Time = for fire response, rescue response, hazardous conditions response, and emergency report out response is 80 second/90 % baseline and benchmark; and **EMS response** is 60 second/90 % baseline and benchmark

Travel time = based on criteria for the different risk categories and within guidelines provided for service area and/or population density (see table below)

For the city of La Crosse – using the urban travel time benchmark/baseline (see below), a first unit 4 minute/90% benchmark, and 5 minute 12 second/90% baseline

Total response time = Alarm handling + Turnout time + Travel time

Urban Benchmark/Baseline (CFAI)				
Definition:				
Urban - An incorporated or unincorporated area with a population of over 30,000 people and/or a population density over 2,000 people per sq. mile.				
The times below relate to travel times only:				
	1 st Unit	2 nd Unit	Balance of 1 st alarm	Performance
Benchmark	4 minutes	8 minutes	8 minutes	90%
Baseline	5 minutes/12 seconds	10 minutes/24 seconds	10 minutes/24 seconds	90%

The criteria listed in the above table provide a target benchmark by CFAI and the lesser baseline of 70% of the benchmark time.

Performance Objective Measurement

The following table shows agency performance on emergency fire responses, EMS responses, emergency rescue responses, emergency hazardous condition responses, and emergency report out responses agency wide from January 1, 2010 to December 31, 2103. The table shows the percentage of time that the agency met time elements for the first due apparatus measured against the 90th percentile for alarm processing (dispatch time), turnout time, first unit travel time lower than the 5 minutes and 12 seconds baseline, and the first unit travel time lower than the 4 minute benchmark.

January 1, 2010 to December 31, 2013

Baseline Time Elements– 1st Due Unit/Pumper to be measured against the 90th Percentile				
NFIRS Descriptions	Dispatch Time ≤60 sec	Turnout Time ≤90sec	Travel Time 1st Unit ≤ 5:12	Travel Time 1st Unit ≤ 4:00
Fire (NFIR 100)	70.74%	59.57%	94.31%	86.1%
EMS (NFIR 300 excluding rescue)	59.08%	84.84%	95.21%	88.22%
Rescue (NFIR 300 Excluding EMS)	67.82%	73.36%	94.10%	87.05%
Hazardous Conditions (NFIR 400)	42.47%	63.15%	90.74%	83.60%
Report Out (NFIR 700)	61.87%	60.77%	92.44%	83.39%

The following table shows agency performance on emergency fire responses, EMS responses, emergency rescue responses, emergency hazardous condition responses, and emergency report out responses agency wide from January 1, 2010 to December 31, 2013. Data includes the total response times for the second arriving unit, and the balance of the remaining units. Target benchmark times are established by CFAI and the lesser baselines times are 70% of the benchmark time.

January 1, 2010 to December 31, 2013

Performance Objective	Baseline	Benchmark	Baseline	Benchmark
	2nd Unit ≤10:24	2nd Unit ≤8:00	Balance of Remaining Units ≤10:24	Balance of Re- maining Units ≤8:00
Fire	98.23%	95.05%	94.95%	85.90%
EMS	99.11%	95.41%	91.67%	80.00%
Rescue	98.98%	94.11%	80.39%	71.57%
Hazardous	97.64%	90.09%	93.10%	85.44%
Report Out	98.94%	95.80%	94.89%	88.51%
<i>Response Times measured against 90th Percentile</i>				

With a total response time equaling the alarm handling + turnout time + travel time, the agency has a goal of a total response time under 6 minutes and 30 seconds, 90% of the time.

The following tables show agency performance on emergency fire responses, EMS responses, emergency rescue responses, emergency hazardous condition responses, and emergency report out responses agency wide from January 1, 2010 to December 31, 2013. The tables show the total number of responses, total number of times that the goal was met, the percentage that the goal was met, and the deviation from the 90th percentile.

January 1, 2010 to December 31, 2013

Baseline Time Elements– 1st Due Unit/Pumper to be measured against the 90th Percentile				
NFIRS Descriptions	Dispatch Time ≤60 sec	Turnout Time ≤80sec	Travel Time 1st Unit ≤ 5:12	Travel Time 1st Unit ≤ 4:00
Fire (NFIR 100)	70.74%	56.22%	94.31%	86.1%
Rescue (NFIR 300 Excluding EMS)	67.82%	57.99%	94.10%	87.05%
Hazardous Conditions (NFIR 400)	42.47%	50.00%	90.74%	83.60%
Report Out (NFIR 700)	61.87%	46.54%	92.44%	83.39%

Baseline Time Elements– 1st Due EMS Unit to be measured against the 90th Percentile				
NFIRS Descriptions	Dispatch Time ≤60 sec	Turnout Time ≤60sec	Travel Time 1st Unit ≤ 5:12	Travel Time 1st Unit ≤ 4:00
EMS (NFIR 300 excluding rescue)	59.08%	57.04%	95.21%	88.22%

Community Risk Assessment

One of the issues the fire service has historically faced is how to define the levels of service for the community it serves. As part of the Commission on Fire Accreditation International (CFAI) process, a Standards of Cover (SOC) document has to be developed and adopted by the agency having jurisdiction. The La Crosse Fire Department proceeded to establish its service level goals based on the CFAI accreditation model. Specific resource needs were based upon the concept of meeting established service level goals for the types of emergencies routinely responded to in the City of La Crosse.

The agency must assess community risks based upon the potential frequency (probability of an incident occurring) and consequence (potential damage should an event occur). For example, a terrorist act has a low probability; however, if a terrorist act occurs, the damage and the psychological impact are potentially very high. This same outlook regarding risk assessment can also be applied to natural disasters. For example, an earthquake generally does not hit the same communities every year; but, if it does strike, the damage can be great. Conversely, medical emergencies happen every day. The overall potential damage from medical emergencies to the community as a whole is not nearly as significant as that from an earthquake or other natural disaster (though these individual incidents greatly affect those requiring the service). To design future deployment strategies, the agency must be able to compare the potential frequency and potential damage of events that may affect the community and service area.


Community Risk Management

Risk management is the analysis of the chance of an event occurring and the resulting damage that could occur as a result of the event.

Probability Matrix	
High Probability Low Consequence	High Probability High Consequence
Low Probability Low Consequence	Low Probability High Consequence

For example: structure fires are relatively infrequent in comparison to medical incidents in La Crosse; however, the loss of subsequent dollars, loss of irreplaceable items, and loss of business or jobs make the consequences of such fires high; activation of automatic fire alarms is high probability with low consequence; earthquakes or a large hazmat incident may be infrequent but represent a large potential loss to life and property. Comparatively, a dumpster fire may be a high probability but have little consequence outside of the fire response. With an understanding of the different levels of probability and consequences, proper strategic planning in respect to risk management, and resource deployment can take place.

The evaluation of fire risks must take into account the frequency and severity of fires and other significant incidents. Risk assessment can be divided into four quadrants, which impose different requirements for commitment of resources in each area.



The relationships between probability and consequence and the community’s adopted service level goals determine the needed concentration and distribution of resources. Distribution is the number of resources placed throughout the city. Concentration is the number of resources needed in a given area within the city. This varies depending on many factors including the number of events (calls) for service; the risk factors of the area; the availability, reliability, and time of arrival of secondary responding units; etc. A challenge will be to fund the proper balance for the distribution and concentration of resources needed to meet the service level goals today and in the future.

Community Risk Assessment and Evaluations

For the most part it is the potential types of risks, their associated consequences, and the expected outcomes of fire and other emergency service occurrences within a community that become the determining factors when establishing an overall risk assessment strategy. Without knowing this information, we cannot plan effectively. Once the above issues have been determined, those factors in turn become highly dependent upon other components such as efficient geographical positioning of fire stations, effective equipment, and staffing levels to support the various needs.

Planning Zone Risk Assessment and Response Analysis:

The agency divided the city into forty seven planning zones. These zones are approximately one mile by one mile. NFIRS 5ALIVE software was used in creating risk assessment scores, occupancy analysis, and fire flow analysis. Vinelight software was used for emergency call history and response time analysis in the planning zones. A detailed risk assessment and response analysis was conducted for each of the city’s forty seven planning zones. See Appendix D(1) and D(2) for the forty seven planning zones and subsequent data.

Fire Flow Analysis

As part of the risk assessment process the agency conducted a fire flow analysis of inspected buildings in the City of La Crosse. The information was entered and filtered from the agency’s Zoll Fire Records Management System (RMS). See Appendix D(1) and D(2) for the forty seven planning zones, which includes fire flow data. See Appendix E for the La Crosse Fire Department Fire Flow Analysis Report.

Structure Fire Risk Assessment Process


The agency began its risk assessment evaluation of the city in 2010. The agency has semi-annually conducted 2,882 occupancy inspections. These buildings include all commercial properties and all three unit or larger residential properties. The agency's fire inspection officers gathered risk assessment data while conducting building inspections over the course of four years (2010 -2013). Officers entered this data into the agency's Zoll Fire Records Management System (RMS).

The agency followed the individual building risk assessment guidelines on page 25 of the CFAI Standards of Cover 5th Edition.

See Appendix F for an explanation of the agency's risk assessment process and the results of the risk assessment.

The following page shows the results of the demand zone analysis for fire risk:

City of La Crosse Fire Department
Fire Risk Response



High Risk ■ Moderate Risk ■ Low Risk ■

Non-Structure Fire Risk Assessments

The following non-structural/building risks have been identified by type and location:


Emergency Medical Incidents

Agency firefighters are authorized to practice to the EMT-D level, serving as first responders trained to use defibrillators. The agency is not licensed for patient transport; Tri State Ambulance (a private service) is authorized for medical transports. It is not uncommon for agency personnel to assist Tri State Ambulance with patient transport to local hospitals (by assisting in the ambulance en route to the hospital).

Emergency medical risks – typically ranging from basic first aid to cardiac arrest, were evaluated as low, medium, or high; based on incident types, location (i.e. district, demand zone), demographics, population density, and call volume.

The following page shows the results of the demand zone analysis for EMS risk:

City of La Crosse Fire Department
EMS Risk Response




Rescue Incidents

Rescue risks – typically range from industrial accidents, motor vehicle collisions, entrapment, water/ice rescues, and urban search and rescue. All firefighters are trained in the use of extrication equipment, and basic rescue techniques. The agency has two specialty rescue teams (water/ice rescue, and technical Urban Search and Rescue - USAR). The USAR team serves as a State of Wisconsin regional technical rescue team. These two teams each have twenty five firefighters trained in their area of specialized rescue.

Risks were evaluated as low, medium, or high; based on incident types, location (i.e. district topography - bluff land, demand zone, major road, rail & water ways), and call volume.

The following page shows the results of the demand zone analysis for rescue risk:

City of La Crosse Fire Department
Rescue Risk Response



High Risk Moderate Risk Low Risk


Hazardous Materials Incidents

Hazardous materials risks – typically range from spills, leaks, releases, product identification, and product disposal. The agency has a specialty hazardous material team, which also serves as a State of Wisconsin regional hazardous materials team. This team has twenty five firefighters trained at the technician level and all agency firefighters are trained at the operations level.

Risk were evaluated as low, medium, high; based on occupancy and incident types, location (i.e. district, demand zone, major road, rail & water ways), and call volume.

The following page shows the results of the demand zone analysis for hazardous materials risk:

City of La Crosse Fire Department
 Hazardous Material Risk Response



High Risk ■ Moderate Risk ■ Low Risk ■

Natural Hazard Assessment

Natural hazards such as tornadoes, severe thunderstorms/lightning, flooding, winter storms and extreme cold, heat drought and wildfires, and earthquakes have been identified as risks or possible risks to the City of La Crosse. These hazards have the ability to create conditions that would strain the resources of the La Crosse Fire Department. The La Crosse County Natural Hazards Assessment, prepared by NOAA/National Weather Service La Crosse and updated in October of 2013 was referenced for this natural hazard assessment.

Overview

La Crosse is in the Upper Mississippi River Valley of the Midwest with relatively hilly terrain and bluffs. The area experiences a temperate climate with both warm and cold season extremes. Winter months can bring occasional heavy snows, intermittent freezing precipitation or ice, and prolonged periods of cloudiness. While true blizzards are rare, winter storms impact the area on average about 3 to 4 times per season. Occasional arctic outbreaks bring extreme cold and dangerous wind chills. Thunderstorms occur on average 30 to 50 times a year, mainly in the spring and summer months. The strongest storms can produce associated severe weather like tornadoes, large hail, or damaging wind. Both river flooding and flash flooding can occur, along with urban-related flood problems. The terrain can lead to mud slides and generally increases the flash flood threat. Heat and high humidity is occasionally observed in June, July, or August. The autumn season usually has the quietest weather. Valley fog is most common in the late summer and early fall months. On calm nights, colder air settles into valleys leading to colder low temperatures compared to ridge top locations. High wind events can also occur occasionally, usually in the spring or fall.

Since 1998, La Crosse County has been included in a FEMA Federal Disaster Declaration 5 times:

1998 – Severe storms

2001 – Flooding

2004 – Severe storms / flooding

2007 – Severe storms / flooding

2008 – Severe storms / flooding

Tornadoes

The risk potential for a tornado is low to moderate, primarily highest in May and June. Even though Wisconsin averages about 23 tornadoes per year, La Crosse County has only had 16 tornadoes since 1950, averaging about one tornado every 4 years. Most tornadoes are short-lived and small. May and June are the peak months and most occur between 3 and 9 p.m., but they can occur nearly any time of year and at all times of the day. In May 2011, a tornado (EF2) crossed the south end of the City of La Crosse from the west side to the east side, damaging infrastructure, power and gas lines, buildings, businesses, homes, and many trees, miraculously there were no reported injuries. LCFD resources were quickly exhausted and an all call was placed for all off duty firefighters to report for duty.

Severe Thunderstorms / Lightning

The risk potential for severe thunderstorms is moderate, primarily highest from April to September, with a peak month of June. The National Weather Service (NWS) considers a thunderstorm severe when it produces wind gusts of 58 mph (50 knots) or higher, 1 inch diameter hail or larger, or a tornado. Downdraft winds from a severe thunderstorm can produce local or widespread damage, even tornado-like damage if strong enough. Most severe thunderstorm winds occur in June or July and between the hours of 4 and 8 p.m., but can occur at other times. Most damage involves blown down trees, power lines, and damage to weaker structures (i.e. outbuildings, garages) with occasional related injuries. In 1998, a large squall line moved through the region with wind gusts in excess of 100 mph knocking down hundreds of trees and damaging buildings. Large hail can also occur in a severe thunderstorm. June is the peak month with the most common time between 1 and 9 p.m., but it can occur in other warm season months and at any time of day. Hail is typically a crop damaging hazard but can damage roofs, windows, and vehicles if large enough (> 1"). Expenses can be high. Injuries or fatalities are rare for hail. In April 2011, hail up to 3" in diameter damaged hundreds of roofs and vehicles across mainly the south side of La Crosse causing millions in damages. Non-severe thunderstorms still pose a lightning risk. Nationally, Wisconsin ranks 24th in lightning related fatalities with 6 deaths reported between 2001 and 2010.

All of these factors, in combination, or individually, have been cause for concern to the community and the agency over the years. Response incidents ranging from building lightning strikes causing structure and/or utility fires/power outages, fire alarm activations, to fallen trees and power lines can present a challenge to the agency. Since the resultant occurrences can be wide spread throughout the City, resources can be taxed to maximum levels; however normally only for a short period of time.

Flooding and Hydrologic Concerns

The risk potential for flooding is moderate from April to September. The highest probability for Mississippi River related flooding is late April from snow melting. On occasion intense, heavy rain producing thunderstorms or consecutive thunderstorms can bring excessive rainfall leading to flash flooding. The hilly terrain promotes rapid run-off and enhances the threat. Mudslides can occur in extreme cases. Intense rainfall rates also lead to occasional urban street flooding. June is the most common month for flash floods, but they can occur from May through September. They are most common in the evening hours, between 8-10 p.m., but can occur at other times and typically last from 3 to 6 hours. In August 2007, nearly 12 inches of rain fell in one evening across the City of La Crosse leading to widespread flash flooding and property damage. Water swept across parts of Highways 14 and 35 with large mudslides and a train derailment. The county was declared a federal disaster area with an estimated 15 million dollars in damage. Three main rivers can impact La Crosse, the Mississippi River, the Black River, and the La Crosse River. The Mississippi River is often highest in the spring associated with the seasonal snowmelt, but on rare occasions can reach flood stage during the summer or fall from heavy rain patterns. The combination of up-river snowmelt and area rain brought major flooding along the Mississippi River in April 2001, setting the 2nd highest crest levels in many locations. The record Mississippi River crest year remains 1965.

The agency is prepared to assist with flooding situations, including assisting with evacuation and surface water rescue, which could involve Boat 1, Boat 2, Dry Land Access Vehicle (DLAV), inflatable Rapid Deployment Crafts (RDC), and other water rescue equipment.

In the event of a 100 year flood (depth of water at a river stage of 16.5 feet), sections of La Crosse's north side would be under water as projected by flood maps from the City's engineering department.

Winter Storms and Extreme Cold

The risk potential for winter storms and extreme cold are moderate to high from December to March. Hazardous winter weather can bring a variety of conditions to La Crosse. Since 1982, an average of three to four winter storms impact the area each season. The terrain does limit the number of true blizzards (only 3 since 1982) but heavy snow, blowing snow, ice, and sleet all occur. The 30-year average seasonal snowfall at La Crosse is 44.5 inches. The all-time record one-day snowfall in La Crosse was 16.7 inches set on December 7, 1927. The bulk of snow falls between December and March. On February 23-25, 2007, a major winter storm impacted La Crosse. Heavy snow, including lightning, brought nearly a foot of snow the first night. Winds later increased and created major blowing and drifting. Some sleet and freezing rain fell next, followed by another round of heavy snow and blizzard conditions the next night. When the storm finally moved out, 22.4 inches of snow had fallen, ranking as the largest multi-day snow storm on record. Another major storm hit less than a week later, leading to the snowiest week on record (27.4" in a 7-day period, ending 3/2/07). March can often be a snowy month. Even though snowfall may be less frequent, heavy wet snow can form from large spring storms. In 1997, a large winter storm dropped nearly 20 inches (19.7") of wet snow in La Crosse.

Ice storms (1/4" of ice or more) can occur but are relatively rare with only six occurrences since 1982. Arctic cold outbreaks can occur in the upper Midwest as well. Snow depth can modify these cold temperatures leading to sub-zero readings on average 22 times a winter. Occasionally strong northwest winds will combine with arctic outbreaks to create dangerous wind chill conditions as well. The coldest temperatures are usually in January and February with average lows in the single digits and record lows colder than -25°F most days. The all-time record low is -43°F set in 1873. In 1996 La Crosse went six consecutive days with temperatures below zero degrees (F) following a blizzard about a week earlier. Record low temperatures of -34 degrees (F), -35 degrees (F), and -31 degrees (F) were set on three straight mornings.

Winter storms can be such that severe cold could affect pumping operations due to freezing and snow/ice accumulation. Ice accumulation on power lines causes downed power lines and power outages. It also affects road conditions; slowing down response times for emergency calls, and makes hydrant location and access difficult.

Heat, Drought, and Wildfires

The risk potential for heat, drought, and wildfires is moderate during the summer months. On occasion the weather pattern across the upper Midwest favors prolonged heat and humidity, leading to heat waves. June through August is the warmest months with average high temperatures in the 80s and record highs above 100°F most days. The warmest temperature on record at La Crosse has occurred twice, 108°F set on July 13, 1995 and July 14, 1936.

Prolonged dry spells can also lead to drought causing extreme damage to crops. Droughts vary in length and intensity but abnormally dry to moderate drought conditions can occur quite frequently. Severe to extreme droughts occur far less frequently. Dry weather can also lead to a wildfire threat, especially in the spring before foliage has emerged (i.e. before green up) or in the fall after vegetation has started to die off. Warm, dry (i.e. lower relative humidity's), and windy conditions all favor higher fire danger and can lead to sporadic grass fires in La Crosse. Thick, wooded areas also pose a threat for wildfires under extremely dry conditions but occur far less frequently.


High heat conditions can be taxing to firefighters during an emergency situation as the risk of heat exhaustion increases. Fighting a large grass fire can be very labor intensive to firefighting staff, as they are many times faced with using water cans if the locations are not accessible by fire apparatus. The general population is also at greater risk during high heat conditions which can lead to an increase in related medical responses for the agency

Earthquake

The risk potential for an earthquake is generally low as compared to the rest of the United States. The La Crosse area has a low rate of seismic activity. The La Crosse Fire Department would be

prepared to assist in the rare event that a seismic movement was strong enough to cause damage to areas of La Crosse. As history indicates, most movement that has occurred has been minimal; therefore any damage that may occur could be expected to be limited to infrastructure such as underground water mains and water and gas lines and possibly power interruptions. Evacuation assistance or standby requirements could also be a possibility.

The following page shows the results of the demand zone analysis for natural disaster risk:



Population Analysis

La Crosse's population was analyzed for each of the forty seven planning zones, basically to find out where people live and where the potential is for emergency responses.


The following page shows the results of the demand zone analysis for population:

Low planning zones (green) have less than 500 persons

Moderate planning zones (yellow) have between 500 and 2500 persons

High planning zones (red) have greater than 2500 persons

City of La Crosse Fire Department
Population Risk Response



>2500 High Risk 500-2500 Moderate Risk <500 Low Risk

Technological/Human Hazard Assessment

The following technological/human hazards were identified as being potential risks to the City of La Crosse. An incident involving any one of these hazards has the ability to create a dramatic strain on the emergency services resources.

1) Utility Failure

The risk potential for prolonged utility failure in La Crosse is low to moderate; with low consequence. However, this would be dependent upon the duration of incident and time of year. Utilities such as water, gas, electricity and phone are located throughout La Crosse which all are at risk of disruption in service as a result of equipment fatigue or failure as well as being affected by natural causes i.e. weather related, or mechanical damage i.e. road construction mishaps.

The disruption of any of these services could essentially affect response times because of detours caused by necessary repairs being conducted, traffic lights not working etc. Interruptions in gas and electrical service can also cause an increase in public service calls, fire alarm signals and fire calls due to unsafe or improper candle and wood burning appliance use. Generally, utility service is only disrupted for a relatively short period of time; however the potential is always there.

The agency is prepared to respond and assist with water main breaks and resulting flooding, gas line breaks, securing the scene when downed power lines are a threat to the community etc. La Crosse County 911 Emergency Dispatch Center (EDC), as well as the Emergency Operations Center (EOC) is able to continue functioning in the event of an electrical power failure.

2) Structure Fires – Conflagration

The City of La Crosse covers approximately 22 square miles with the bulk of the buildings consisting of commercial, industrial, and residential structures. The agency responds to over 100 structure related fires annually; therefore the risk is moderate with the consequence being moderate as well. Although there is always a low risk of conflagration as a result of an incident such as an aircraft mishap in a heavily populated area, the main area of concern with respect to the possibility of conflagration would be in the downtown core. The core is made up of several

rows of century old multi story physically attached commercial/residential buildings. Many downtown buildings do not have sprinkler systems or fire alarm systems and have been through various structural alterations over the years; including dividing walls and false ceilings. However, stone walls originally constructed as fire walls between many of the buildings have proven to be effective in the past at preventing major fires from escalating into a conflagration situation.

Currently, the agency's headquarters station #1 is located at the south end of the downtown core. Station #1 houses the largest number of on-duty staff and equipment. Therefore, first due response time to the downtown core with the greatest number of equipment and staff is very quick, improving the chance of containing a fire at the incipient or early stage. The agency has the resources to deal with major structure fires and when required, can initiate a call-back whereby all off-duty staff would be called to respond. Should a conflagration occur to the point where more resources would be required, mutual aid could also be initiated.

3) Transportation – air, rail, highway, and water

Air

The La Crosse Regional airport lies within the city limits of La Crosse on the city's far north side. The airport sits on 1,380 acres of land and supports 25,000 operations annually, and processes 250,000 passengers annually. Delta Airlines and American Airlines are currently offering several daily flights. While there is a constant stream of aircraft activity over the City, the potential risk hazard for an aircraft incident is low with the consequence being very high.

LCFD conducts joint training operations with the La Crosse Regional Airport Fire Department. The agency participates in annual disaster drills at the airport to prepare for an airline emergency.

Rail

La Crosse railway traffic includes the Canadian Pacific Railway that operates 28 trains per day including two Amtrak passenger trains and the Burlington Northern-Santa Fe that operates 40 to 50 trains per day. These rail tracks cross many of the City's roadways used for responding to various locations throughout the City. Response strategies are in place to use overheads (bridges built over railroad tracks) to avoid encountering delays from train traffic while on emergency

responses. The agency has been faced with vehicle train collisions as well as pedestrians being struck at crossings. The possibility of a train derailment is a very real possibility within the City; however the risk is low, but the consequence could be very high; especially if the train was transporting hazardous materials as is so often the case. There is also the possibility of a derailment being a threat to residential, commercial or industrial properties which could increase the overall threat.

Over the years, members of the agency have participated in rail car training and hazardous materials release/fire incident training and would be prepared to respond accordingly to fire, rescue and/or hazardous release incidents involving rail car(s).

Highway

Interstate I-90 and numerous State highways are critical to transportation in the agency's response region. La Crosse has approximately 220 miles of streets and highways. The risk potential for having to respond to an incident on any portion of these streets and highways is moderate with the consequence in most cases being low i.e. motor vehicle collision involving two or more vehicles with possible injuries/fatalities. However, in the event of an incident involving a major fuel or other hazardous product spill/fire from a transporting tanker truck could result in a moderate hazard for the agency's resources.

The agency's first responding fire apparatus contains vehicle extrication equipment and basic life support supplies as well as an adequate water/foam supply to deal with motor vehicle collisions; including fire.

Water

There are three major rivers in the agency's response region, the Mississippi River, the Black River, and the La Crosse River. La Crosse has 23 miles of shoreline and 1,350 acres of marshland. Barge traffic on the Mississippi River brings 4,594 barges annually transporting 45,575 tons of petroleum and 966,115 tons of chemical fertilizers.

The possibility of a barge or large vessel accident is a possibility on the Mississippi River; however the risk is low, but the consequence could be very high; especially if the barge was transporting dangerous goods. There is also the possibility of an accident causing environmental

harm to the Mississippi River which could increase the overall threat. Every year the agency responds to multiple requests for water/ice rescues.

Members of the agency have participated in water rescue training and would be prepared to respond accordingly to fire, rescue and/or hazardous release incidents on area water ways.

4) Natural Gas Pipelines

The City of La Crosse has a high concentration of underground natural gas pipelines supplying fuel for heating to the many homes and businesses throughout the City. It is not uncommon for the agency to respond to reported gas leaks as a result of a ruptured pipeline. This occurrence, in many cases, is usually a result of mechanical damage caused during construction activity of some sort. The risk hazard with this type of occurrence is low to moderate with the potential consequence being moderate to high. La Crosse also contains several industries that have internal processes involving the transfer of flammable/combustible liquids and/or gases.

The agency conducts training sessions with the local gas utility company (Xcel Energy) on how to respond to natural gas incidents; while the agency's hazmat team has the knowledge and equipment to assess and deal with associated risks involving transfer piping systems.

5) Chemical Facilities

Hydrite Chemical, located in La Crosse near the Black River, is one of the nation's largest independent providers of chemicals and services, shipping and storing more than 400 different chemicals. Hydrite Chemical has a bulk storage capacity of 2,027,500 gallons. La Crosse has 87 facilities that have a reportable amount of hazardous materials. The risk hazard for a hazardous materials incident at a chemical facility is low to moderate with the potential consequence being moderate to high.

The agency has participated in hazardous materials mitigation training at chemical facilities. The agency has conducted training in hazardous materials release/fire incident training and would be prepared to respond accordingly to fire, rescue and/or hazardous release incidents involving a chemical facility.

Security Hazard Assessment

The following security hazards have been identified as possible risks to the City of La Crosse. Although the following events are mentioned in this document, it is felt that the overall risk potential of an actual occurrence of this nature is very low. Nevertheless, the consequences associated to any one of the following could be very high and severely strain the resources of the agency.

1) Civil Disorder

The City of La Crosse is located on the mighty Mississippi River, approximately 140 miles northwest of Wisconsin's capital city of Madison. La Crosse is located approximately 155 miles to the southeast of Minneapolis, Minnesota and 280 miles to the northwest of Chicago, Illinois. La Crosse has a population of 51,800 and covers 22 square miles. The University of Wisconsin La Crosse, Viterbo University, and Western Technical College have a combined student population of over 17,000, of which many do not reside in the City. To date, there has not been any significant disorder or unrest within the City. Moderate to low levels of civil disturbance have occurred in the downtown and college areas during civic events and festivals (such as Oktoberfest). Therefore, the risk of civil disorder in the City of La Crosse is low with the consequences being low to moderate.

Civil disorder could include riots, violent protests, and large outbreaks of destructive or malicious behavior which could involve the setting of vehicle and structure fires. In the event that civil disorder of any kind did break out, the agency's role would be to only perform the normal fire and emergency functions and not to be involved with crowd control or in preventing resulting human destruction/vandalism.

In the event a threat of any kind was received, the City of La Crosse Police Department would initially prepare for the potential situation. If and when the event escalated or had the potential to escalate to a scale that could affect the community at large, the police would notify the agency. The agency would act accordingly upon being placed on standby and respond as necessary.

2) Nuclear Attack

The City of La Crosse is far enough away from major cities that the possibility of a nuclear attack, specifically on La Crosse, is highly improbable. Although in today's world, the threat from a nuclear attack could be anywhere around the globe; with the possibility of broad range coverage that could pose as a high consequence.

The City of La Crosse is in close proximity to two nuclear power generation plants; Genoa Nuclear Power Plant near Genoa, WI (12 miles to the south of La Crosse) and Prairie Island Nuclear Power Plant near Red Wing, MN (92 miles to the northwest of La Crosse). Both facilities store spent radioactive fuel. The agency has a hazardous materials radiological field response team, under its hazardous materials program, that would respond to a radiological emergency at either site. The radiological field team is also available to respond to radiological emergencies in the City of La Crosse and in its State of Wisconsin regional response district.

3) Terrorism

The threat of terrorism is a reality in any city in the United States. The City of La Crosse does not have the "typical" terrorism targets that are found in larger metropolitan cities. As is all too common in the world today, domestic terrorism can happen anywhere, and at any time; although the risk is very low, the consequence has the potential to be very high. The agency would deliver emergency services in the event of an act of terrorism. The agency would perform fire, medical, hazardous materials, urban search and rescue, and water rescue activities accordingly with the option of initiating a department call-back and possibly a mutual aid request. All agency Emergency Medical Technicians (EMT's) are trained in first response awareness for Weapons of Mass Destruction (WMD). The agency's hazardous materials response team is a member of the State of Wisconsin regional network. The agency has twenty five members trained to the hazardous materials technician level. Team members are trained for Chemical, Biological, Radiological, Nuclear, and Explosive (CBRNE) responses, which could result from a domestic terrorism attack. All agency members are trained to an awareness level in CBRNE responses. The agency has a radiological field team available to respond to radiological emergencies in the

City of La Crosse and in its State of Wisconsin regional response district. The agency has the hazardous materials apparatus and equipment to respond and mitigate an act of terrorism. The La Crosse Fire Department Urban Search and Rescue (USAR) team is a member of the State of Wisconsin regional network. The agency has twenty five members trained in the four disciplines of technical rescue; confined space, trench, collapse, and rope rescue. The agency has the USAR apparatus and equipment to respond and mitigate an act of terrorism.

Critical Task Analysis

There are critical tasks that must be conducted by firefighters at structure fires, by rescuers at vehicle accidents, and by EMS personnel at a medical-aid incident. The agency conducted an assessment of critical firefighter tasks to create a standard level for response in the mitigation of an emergency incident. In the Effective Response Force section of this document (page 98) the agency listed critical firefighter tasks for low, moderate, and high risk occupancy responses to structure fires, emergency medical calls, emergency rescues, emergency hazardous materials responses, and emergency report out responses.

The agency reviewed in detail the operations required at all of the above listed emergency responses. For example, an interior fire attack operation was reviewed. To conduct an interior attack, firefighters are required to use protective equipment, including turnout gear, SCBA, and an appropriate number of fire attack and exposure protection and minimum of 1 ¾ inch hose lines. Additional personnel must be staged to perform rescue functions for interior firefighting personnel, and a command structure must be in place. Since the establishment of OSHA 29 CFR 1910 (2 in/ 2 out standard), the agency must have in place a rapid intervention crew, as the effective response force arrives on scene. While other tasks may be achieved at different times, these functions must be in place prior to entry into the IDLH atmosphere.

In conducting this critical task analysis the agency followed industry standards, such as OSHA 29 CFR 1910; National Institute of Standards and Technology (NIST) studies on Residential Fireground Field Experiments and EMS Field Experiments. The agency also relied on past historical practices and past performance outcomes at these emergencies.

Historical Perspective and a Summary of the System Performance with Performance Objectives and Performance Measures

Resource Management

A critical element in the assessment of any emergency service delivery system is the ability to provide adequate resources for anticipated fire control and extinguishment, medical emergencies, and other incidents such as rescue, hazardous materials, and natural or uncommon disasters.

Each incident requires a variable amount of staffing and resources to be effective. Properly trained and equipped fire crews must arrive, deploy, and mitigate the event within specific timeframes if successful emergency event strategies and tactical objectives are to be met. Each event whether fire, medical emergency, rescue operation, disaster response, and other situations will require varying and unique levels of resources. For example, controlling a fire before it has reached its maximum intensity requires a rapid deployment of personnel and equipment within a limited timeframe.


There is a direct correlation between the type of risk and the amount of resources needed to mitigate that risk. More resources, both in equipment and staffing, is required for the rescue of persons trapped within a high-risk building with a high-occupant load, than for a low-risk building with a low-occupant load. Similarly, more resources are required to control fires in large heavily loaded buildings than in small buildings with limited contents. Therefore it is important to create a well-matched level of service through the distribution and concentration of resources to that of the potential demand placed upon them by the level of risk in the community. Each quadrant of the chart creates different requirements in the community for the commitment of resources.

The objective is to have a distribution of resources that is able to reach a majority of events in the timeframe as stated in the service level goals. The following factors; (or lack thereof) are examples of what can attribute to different types of risk levels, and which would indicate the need for higher or lower concentration of resources:

- Inability of occupants to take self-preserving measures
- Type of construction
- Size and height of building
- Lack of built-in fire protection (fire alarms, automatic sprinklers)
- Exposures
- Lack of needed fire flow (water supply)
- Building access (exterior & interior)
- Separation distance between buildings
- Hazards in a building

Evaluation of such factors lead to the number of personnel needed to conduct the critical tasks necessary to contain the event in an acceptable timeframe. The level of service provided by an agency should be based on the agency's ability to cope with various types and sizes of emergencies that the agency can reasonably expect after conducting a risk assessment. This process starts with examining the most common community risk, the potential fire problem, target hazards, critical infrastructure, and an analysis of historic call data review.

Community risk assessment incorporates the various elements of risk to the relationship among the community as a whole, the frequency of events that occur, the severity of potential losses, and the usual distribution of risks. Overall, the City and its service areas are likely to have a wide range of potential risks. Normally, there is an inverse relationship between risk and frequency. The daily event is usually the routine type of risk that results in minimal losses, while significant events are less frequent. Toward the highest risk levels on the chart, the events are less frequent. If the risk management system is working in the community, a catastrophic loss should be an extraordinary event. The objective of a risk assessment is to reduce the truly serious loss to a very unusual event for the area served and involves trying to keep routine emergencies from becoming serious loss situations. This is accomplished only when a comprehensive Standards of Cover integrated risk management plan has been developed, which provides the necessary resources for those risks identified within the city.



The purpose of risk assessment is not only to evaluate risks and hazards in the agency’s response area, but also to provide a basic methodology to evaluate existing response coverage. The process begins with the identification of community hazards and risks. Hazard is defined as *a source of potential danger or an adverse condition*; risk is defined as *the possibility of loss or injury; the exposure to the chance of loss; the probability of an event multiplied by the significance of the consequence (impact) of the event = Risk (Risk = Probability x Impact)*. To determine the overall community risk and vulnerability, several areas must be assessed.


Evaluating Community Risk

It is important to provide a description of the scope, complexity, and relationship of the various risk factors within the City of La Crosse and the method used to evaluate these risks.

The City of La Crosse presents a variety of risks that the agency is routinely called upon to respond to. These areas include both a structural/fire and non-structural/fire risk in this evaluation. Non-structural risks include emergency medical, hazardous materials, rescue

(motor vehicle, water & ice, machinery entrapment), grass/brush fires, and possible natural disasters. Structural risks evaluated included various types of buildings throughout the service area. In order to determine the extent of various risk factors, the agency analyzed the demographics in the area protected, the building stock, historical call volume, assessed value, the existing deployment of resources.

The following table illustrates the need for rapid response to fire response to mitigate these emergencies. **Red Line**



Evaluating Fire Suppression Capabilities

Firefighters encounter a wide variety of conditions at each fire. Some fires will be at an early stage and others may have already spread throughout the building. This variation in conditions complicates attempts to compare agency capability. A common reference point must be used so that the comparisons are made under equal conditions. In the area of fire suppression, service-level objectives are intended to prevent the flashover point, a particular point of a fire's growth that makes a significant shift in its threat to life and property. Fire suppression tasks required at a typical fire scene can vary a great deal.

What fire crews must do, simultaneously/systematically and quickly, if they are to save lives and limit property damage, is to arrive within a short period of time with adequate resources to do the job. Adequately matching the arrival of resources within a specific time period is the objective of developing a comprehensive Standards of Cover.

The Stages of Fire Growth

Virtually all structure fires progress through a series of identifiable stages.

Stage 1: *The Ignition Stage* -The ignition of a fuel source takes place. Ignition may be caused by any number of factors, from natural occurrences such as lightning to premeditated arson.

Stage 2: *The Smoldering Stage* – When heat is applied to a combustible material, the heat oxidizes the material's surface into combustible gases. The oxidation process is exothermic; meaning the oxidation process itself produces heat. The heat from oxidation raises the temperature of more material, which increases the rate of oxidation and begins a chemical chain reaction of heat release and burning. This stage can vary in time from a few minutes to several hours. When sufficient oxygen is present, the fire will progress to the open-burning stage.

Stage 3: *The Incipient/Open Burning Stage* - When the temperature gets high enough, flames can be seen. The visible burning at this stage is still limited to the immediate area of origin. The combustion process continues to release more heat, which heats nearby objects to their ignition temperature, and they begin burning.

Stage 4: *The Flashover Stage* - Not all combustible gases are consumed in the incipient stage, they rise and form a superheated gas layer at the ceiling. As the volume of this gas layer increases, it begins to bank down to the floor, heating all combustible objects regardless of their proximity to the burning object.

Flashover:

The flashover stage is very significant because it marks a critical change in conditions. This turning point in fire conditions escalates the challenge to a fire department's resources.

Research into the flashover phenomenon has yielded criteria that precisely measure when flashover occurs; however, any exact scientific measurement in the field is extremely difficult. Observable events that would indicate a flashover are "total room involvement" and "free burning." These indicators are easily observable by firefighting personnel and the public and can be easily recorded and retrieved for future evaluation. Both scientific tests and field observations have shown when flashover is experienced, it has a direct impact on fire protection and the ability of the emergency services system.

- a. Flashover occurs at a temperature between 1,000 and 1,200 degrees Fahrenheit. These temperatures are well above the ignition points of all common combustibles in residences, businesses, and industries. When this temperature range is reached, all combustibles are immediately ignited. Human survival after this point is highly improbable without specialized protective equipment.
- b. At the point of flashover, lethal fire gases (carbon monoxide, hydrogen sulfide, cyanide) increase explosively. People exposed to these gases, even when not directly exposed to the fire, have drastically reduced chances of survival.
- c. Flashover can occur within a relatively short period of time. Precisely controlled scientific tests indicate that flashover can occur in as little as two minutes from the flame stage. On the other hand, field observations of actual fires indicate that total room involvement can take as long as 20 minutes or more. There is no way to ascertain the

time to flashover since it is not possible to determine when a fire started. Nevertheless, a correlation can be drawn between flashover and the entire fire protection system. As suggested previously, the number of times that fires are controlled before flashover depends on the entire fire protection system and is not solely dependent upon emergency response forces.

The Significance of Flashover

Pre – Flashover

Limited to one room

Requires smaller attack lines

Search and rescue is easier

Initial assignments can handle

Post - Flashover

May spread beyond one room

Requires larger, more attack lines

Compounds search and rescue

Requires additional companies


Staffing and equipment needs can be reasonably predicted for different risk levels and fire stages. The correlation of staffing and equipment needs with fires according to their stage of growth is the basis for response coverage. The goal is to maintain and strategically locate enough firefighters and equipment so a minimum acceptable response force can reach a fire scene before flashover occurs, and mitigate medical emergencies.

To minimize risk, the agency strives to extinguish small fires quickly before they reach flashover potential to minimize risk and to mitigate medical emergencies quickly to reduce cardiac death. As flashover is such a significant fire event, preventing this stage of fire behavior is imperative. Time is a key factor in this effort. Once flashover potential is reached, an

exponential increase occurs not only in the rate of combustion, but in the amount of resources necessary to mitigate the fire emergency.

Products of Combustion


The air people breath is approximately 21 percent oxygen. When oxygen levels drop below 19 percent and is still above 12 percent, judgment is impaired, the pulse rate increases, and fatigue is present. If levels drop further, to less than 12 percent, but greater than 6 percent, extreme fatigue, nausea, and vomiting will occur. In the final stages of deprivation, when levels are 6 percent or lower, convulsions and cardiac arrest will occur, resulting in death. This is simply due to the absence of oxygen. The graphic below illustrates the relationship between the physics of the fire and the factors the agency can control:



To summarize the above, the stage of a fire affects staffing and equipment needs. Several critical points are obvious. The time it takes to detect the fire and report it can be positively influenced by automatic-alarm systems. The early suppression of fires by installed fire protection systems can also have significant impact on the outcome. However, if neither of these mitigations sources is present, the fire suppression forces must arrive within a certain timeframe, allowing adequate application of water to the fire prior to flashover if the suppression efforts are to have the most beneficial results.

Evaluating EMS Capabilities

The following table illustrates the need for rapid response to medical response to mitigate these emergencies. [Blue Line](#)



Additionally, survival of cardiac death or in a fire preventing flashover is often time driven. The brain can only be without oxygen for a short period of time, i.e., four to six minutes. Rapid intervention is necessary to prevent brain death from occurring.

From an emergency medical perspective, the service-level objective typically is to provide medical intervention within a six-minute timeframe, as brain damage is very likely at six minutes without oxygen. However, in a cardiac arrest situation, survivability dramatically decreased beyond four minutes without appropriate intervention. Intervention includes early recognition and bystander CPR. When cardiac arrest occurs, the heart starts to beat chaotically (fibrillation) and cannot pump blood efficiently. Time is critical. If a normal heart rhythm is not restored in minutes, the person will die. In fact, for every minute without defibrillation, the odds of survival drop seven to ten percent. A sudden cardiac arrest victim who is not defibrillated within eight to ten minutes has virtually no chance of survival.

The shortest possible response times create the highest probabilities of resuscitation. An important evaluation point lost on most agencies is the time that crews reach patient side. Often the clock stops when the vehicle arrives or stops at the address. The key to a successful outcome is the point the patient is actually contacted. In high-rise communities or other larger complexes, this time period can be substantial and can most certainly affect the outcome due to delayed intervention.

A 1998 study by the Emergency Medical Director's Association of California offers supporting evidence. The results of that study, depicting the relation of timing to two key resuscitation efforts, CPR and defibrillation, are illustrated in the following table:

Collapse to CPR	Collapse to Defibrillation	Probability of Survival
< 5 Minutes	< 10 Minutes	37%
< 5 Minutes	> 10 Minutes	7%
> 5 Minutes	< 10 Minutes	20%
> 5 Minutes	> 10 Minutes	0%

Distribution

Distribution is the geographic location of all first-due resources for initial intervention.

The agency has four fire stations. See Appendix B for a fire station response zone map.

The City of La Crosse has approximately 220 miles of roads.

The following table shows the approximate road miles per station response area:

Station	Road Miles	Percent
Station 1	55	25
Station 2	35	16
Station 3	75	34
Station 4	55	25

The City of La Crosse covers approximately 22 square miles or 14,283 acres.

The following table shows the approximate square miles covered per station response area:

Station	Square Miles	Percent
Station 1	4.4	20
Station 2	3.3	15
Station 3	8.8	40
Station 4	5.5	25

The City of La Crosse has a population of approximately 51,800, with approximately 16,000 buildings.

See Appendix G for a population map by the forty seven planning zones.

The following table shows the approximate number of buildings per station response area:

Station	Buildings	Percent
Station 1	3,281	20
Station 2	1,615	10
Station 3	8,104	51
Station 4	3,000	19

GIS Analysis

In 2011 the La Crosse Common Council “Fire Department Management and Operations Committee” hired a consulting firm to provide GIS analysis of the agency and City of La Crosse. ArcGIS 9.2 navigation model software was used by Mapping Specialists Ltd.

The results of this GIS analysis are in Appendix H.

Significant points:


- Based on GIS analysis the study determined that there was a need for one more fire station in La Crosse to meet travel time standards
- Maps were provided with optimum station locations and the location of a proposed fifth fire station
- Travel time analysis was provided of the four current stations – areas of concern were noted with over 5 mile travel distances of first due units and over 8 mile travel distances for balance of alarm units
- Travel time analysis expectations including a proposed fifth fire station

Concentration

Concentration is the spacing of multiple resources arranged to that an “effective response force (ERF)” can arrive on scene within the adopted time frames. ERF data for all different types of agency responses are detailed starting on page 98 of this document.

The agency has four fire stations. See Appendix B for fire station locations and Appendix C for a response zone map.

An overview of agency responses by apparatus from 2010 through 2013 is shown below:



Apparatus	Number of Responses
Heavy Rescue	6,872
Rescue 3	4,776
Engine 1	3,937
Rescue 2	3,674
Engine 4	3,120
Quint 1	2,937
Quint 3	2,314
Quint 2	2,146
Squad	1,858
Total	31,634

Performance Objectives

Performance objectives follow the SMART (Specific, Measureable, Attainable, Relevant, and Timely) formula. They are relevant to the following analysis on the evaluation of fire growth, flashover, EMS response needs, special service needs, response times, on-scene operations, problem-solving critical tasks, and the determined effective response force for the community served.

Fire Performance Objective:

For all fire incidents, La Crosse Fire Department shall arrive in a timely manner with sufficient resources to stop the escalation of the fire and keep the fire to the area of involvement upon arrival. Initial response resources shall be capable of containing the fire, rescuing at-risk victims, and performing salvage operations, while providing for the safety of the responders and general public.

- **Distribution Performance Measure for all Structure Fires:** The first due pumper (Engine or Quint) in the first due area staffed with a minimum of three personnel shall arrive within six minutes and 30 seconds total response time, for 90% of all requests for emergency services.
- **Concentration Performance Measure for Fire – Low:** Requires second pumper (Engine or Quint) staffed with a minimum of three personnel and shall arrive within 10 minutes total response time for 90% of all requests for emergency service. Remaining units including Shift Commander and rescue apparatus, for a minimum of 12 personnel in total shall arrive within 12 minutes total response time for 90% of all requests for emergency services. A minimum of 12 personnel is required.
- **Concentration Performance Measure for Fire – Moderate:** Requires second pumper (Engine or Quint) staffed with a minimum of three personnel and shall arrive within 10 minutes total response time for 90% of all requests for emergency service. Remaining units which may include a third pumper (Engine or Quint), Shift Commander, and rescue apparatus for a total of 14 personnel, shall arrive in 12 minutes total response time for 90% of all requests for emergency services. A minimum of 14 personnel is required.

- **Concentration Performance Measure for Fire – High:** Requires second pumper (Engine or Quint) staffed with a minimum of three personnel and shall arrive within 10 minutes total response time for 90% of all requests for emergency service. Remaining units which may include a fourth pumper (Engine or Quint), Shift Commander, and rescue apparatus for a minimum of 18 personnel, shall arrive in 12 minutes total response time for 90% of all requests for emergency services. A minimum of 18 personnel is required.

EMS Performance Objective:

For all emergency medical incidents, La Crosse Fire Department shall arrive in a timely manner with sufficiently trained and equipped personnel to provide medical services. They will stabilize the situation, provide care and support to the victim and/or reduce, reverse, or eliminate the conditions that have caused the emergency.

- **Distribution Performance Measure for all EMS:** The first due apparatus (Engine, Quint, or Rescue) in the first due area, with Basic Life Support (BLS) and defibrillation capabilities; staffed with a minimum of two personnel shall arrive within six minutes and 30 seconds total response time for 90% of all requests for emergency services. A minimum of 2 personnel is required.
- **Concentration Performance Measure for EMS – Low:** Same as distribution performance measures.
- **Concentration Performance Measure for EMS – Moderate:** The second apparatus (Engine, Quint, or Rescue) with Basic Life Support (BLS) and defibrillation capabilities, staffed with a minimum of two personnel shall arrive within 10 minutes total response time for 90% of all requests for emergency service. Any further requested units; including a third apparatus (Engine, Quint, or Rescue) with Basic Life Support (BLS) and defibrillation capabilities, shall arrive in 12 minutes total response time, for 90% of all requests for emergency services. A minimum of 4 personnel is required.
- **Concentration Performance Measure for EMS – High:** The second apparatus (Engine or Quint) with Basic Life Support (BLS) and defibrillation capabilities, staffed with a minimum of three personnel shall arrive within 10 minutes total response time for

90% of all requests for emergency service. Any further requested units; including a third apparatus (Engine, Quint, or Rescue) with Basic Life Support (BLS) and defibrillation capabilities, shall arrive in 12 minutes total response time, for 90% of all requests for emergency services. A minimum of 5 personnel is required.

Rescue Performance Objective:

For all incidents where rescue of victims is required (Elevators, Water, Ice, Technical (Urban Search and Rescue - USAR), La Crosse Fire Department shall arrive in a timely manner with sufficient resources to stabilize the situation and remove the victim(s) from the emergency situation or location without causing further harm to the victim, responders, public or the environment.

- **Distribution Performance Measure for all Rescues:** The first due apparatus (Engine, Quint, USAR, or Boat) in the first due area (with rescue equipment); staffed with a minimum of 3 personnel shall arrive within six minutes and 30 seconds total response time for 90% of all requests for emergency services. A minimum of 3 personnel is required.
- **Concentration Performance Measure for Rescue – Low (Elevator):** Same as distribution performance measure.
- **Concentration Performance Measure for Rescue – Moderate:** Requires that the Shift Commander and the apparatus needed to meet the needs of the response, with the appropriate rescue equipment, for a minimum of 14 personnel; shall arrive within 10 minutes total response time, for 90% of all requests for emergency service. A minimum of 14 personnel is required.
- **Concentration Performance Measure for Rescue – High:** In addition to what is already present for equipment and staffing for the above **Moderate** incident, it may be necessary to request all, or part, of the remaining off-duty USAR or Water Team members (for a possible total of 18 team members). * A minimum of 18 personnel is required.

**The response time goal for a call-back of off duty USAR or Water Team members to respond to a rescue incident is 60 minutes, for 90% of all requests for emergency service.*

Hazardous Materials/Special Hazards Objectives:

For all hazardous materials/special hazards (spills, leaks, odors, carbon monoxide complaint), La Crosse Fire Department shall arrive in a timely manner with sufficiently trained and equipped personnel to secure, assess, contain, and/or mitigate hazardous incidents. Where applicable, an action plan for the successful conclusion of the incident while providing for the safety and security of the responders, public and the environment will be established.

- **Distribution Performance Measure for all Hazardous Incidents:** The first due apparatus (Engine or Quint) in the first due area staffed with a minimum of three personnel shall arrive within six minutes and 30 seconds total response time for 90% of all requests for emergency services. A minimum of 3 personnel is required.
- **Concentration Performance Measure for Hazardous Incident – Low (Vehicle Leaking Fuel, Carbon Monoxide Complaint):** Same as distribution performance measure.
- **Concentration Performance Measure for hazardous Incident – Moderate:** Requires that the Shift Commander and the apparatus needed to meet the needs of the response, with the appropriate hazardous materials equipment, for a minimum of 17 personnel (of which 4 will be trained to the technician level); shall arrive within 10 minutes total response time, for 90% of all requests for emergency service. A minimum of 17 personnel is required.
- **Concentration Performance Measure for Hazardous Incident – High:** In addition to what is already present for equipment and staffing for the above **Moderate** incident, it may be necessary to request all, or part, of the remaining off-duty Hazmat Technician Team (for a possible total of 25 technicians). * A minimum of 24 personnel is required.

**The response time goal for a call-back of off duty Hazardous Materials Technicians to respond to a hazardous materials/special hazard incident is 90 minutes, for 90% of all requests for emergency service as required by the State of Wisconsin.*

Report Out Performance Objective:

For all emergency report out incidents (bomb threats, power line complaints, odor complaints, water complaints, and airport stand by), La Crosse Fire Department shall arrive in a timely manner with sufficiently trained and equipped personnel to provide services. They will stabilize the situation, provide care and support to the victim and/or reduce, reverse, or eliminate the conditions that have caused the emergency.

- **Distribution Performance Measure for all Report Outs:** The first due apparatus (Engine or Quint) in the first due area; staffed with a minimum of 3 personnel shall arrive within six minutes and 30 seconds total response time for 90% of all requests for emergency services. A minimum of 3 personnel is required.
- **Concentration Performance Measure for Report Outs – Low:** Same as distribution performance measures.
- **Concentration Performance Measure for Report Outs – Moderate :** In addition to what is already present for equipment and staffing for the above **Low** incident, remaining units including Shift Commander and rescue apparatus, for a minimum of 4 personnel in total shall arrive within 10 minutes total response time for 90% of all requests for emergency services. A minimum of 4 personnel is required.
- **Concentration Performance Measure for Report Outs – High:** In addition to what is already present for equipment and staffing for the above **Moderate** incident, remaining units which may include a pumper (Engine or Quint), Shift Commander, and rescue apparatus for a minimum of 8 personnel, shall arrive in 12 minutes total response time for 90% of all requests for emergency services. A minimum of 8 personnel is required.

Availability

Availability is the amount of time a unit is available to respond to an emergency within its own service area/district.

Reliability

See Appendix D(1) and D(2), planning zone maps, for all emergency call data from 2010 to 2013.

Reliability is the ability of a unit to perform and maintain its functions in routine circumstances. Reliability is measured as the number of calls for service, in relationship to the total number of serviced calls that the fire units performed within the system adopted timeframes (performance measures).

The system analysis included the agencies established first due baseline performance measure of 6 minutes, 30 seconds at the 90th percentile for all emergency type responses in the following five categories (emergency fire, emergency medical, emergency rescue, emergency hazardous materials, and emergency report outs). This is the total response time from receipt of call to the first unit on scene. The comparisons shown in the following table depicts first due workload from 2010 to 2013, by station (all responses), first due unit responses in the first due district, and calls missed by the first due unit. Calls may have been missed due to concurrent calls, training, maintenance, etc. The table also shows the percentage of calls answered by the first due unit in its first due response district, the percentage of any first due unit meeting response standards in any response district, and the percentage of first due units meeting response standards in its own response district.



La Crosse Fire Department

726 5th Ave South, La Crosse, WI 54601 n (608) 789-7260 Fax (608) 789-7276
<http://www.cityoflacrosse.org> ClevelandG@cityoflacrosse.org

Serving La Crosse and Southwestern Wisconsin Quality Emergency Services Since 1896



Availability vs. Reliability 2010-2013

Fire Station/District	FS-1	FS-2	FS-3	FS- 4
First-Due Workload(All Responses) (Any First Due Unit)	8,664	3,153	5,241	2,768
First Due Unit Responses in the First Due District	8,389	3,022	4,904	2,561
Calls Missed by First Due Unit	275	131	337	207
Availability– First-Due Unit in First Due District	96.8%	95.8%	93.5%	92.5%
Reliability–Any First Due Unit (<=6:30 sec) (Emergency Response Only)	98.6%	97.6%	91.7%	90.64%
Reliability–First Due Unit (<=6:30 sec) (Emergency Response Only)	97.86%	96.3%	90.91%	90.91%
Reliability is based on the established 6:30 second for first unit standard				

The chart above shows the availability vs. reliability for the years 2010 to 2013

Availability and Reliability Analysis

It is obvious in analyzing the data that the agency has adequate availability and reliability. All four fire stations exceeded the 90 percent level in availability and reliability. Station 4 had the lowest availability level (92.5%), which is to be expected as this is a single apparatus station (Engine 4). Station 2 has multiple apparatus (Quint 2 and Rescue 2) and had an availability level of 95.8%. Station 3 has multiple apparatus (Quint 3 and Rescue 3) and had an availability level of 93.5%. Station 1 has multiple apparatus (Quint 1, Engine 1, and Heavy Rescue) and had an availability level of 96.8%.

Station 1 had the highest call volume, but with three frontline apparatus and station 2 to the north and station 3 to the south, was able to maintain a high availability and reliability (all above 97%). Station 3 had the second highest call volume, but with two frontline apparatus and built in automatic move ups from station 1, was able to maintain high availability and reliability (all above 90%). Station 2 had the third highest call volume, with two frontline apparatus and station 4 to the north and station 1 to the south, was able to maintain high availability and reliability (all above 95%). Station 4 had the lowest call volume, and with station 2 in close proximity to the south, was able to maintain high availability and reliability (all above 90%).

Stop-Loss Points and Resources Exhaustion

Stop-loss point is the resource level an agency will not go below when asked for assistance or mutual aid. In any organization there will be a specific number of initial attack resources. For example, an agency may have six fire emergency response vehicles. The agency may also have reserve vehicles staffed by recalling personnel. An example of the stop-loss policy is “Every Town Fire Department will commit up to 50% of its resources to respond on mutual aid or automatic aid emergencies. Once this level is committed, the agency will no longer respond to requests until reserves are placed in service, or upon approval of the chief or designate.” Setting stop-loss points prevents the agency from facing a situation where an emergency occurs within the jurisdiction and its resources are totally out of position.

Resources exhaustion is when a system has depleted its resources for both initial response and an area-wide effective response force. In the City of La Crosse this would be when all agency units were committed.

In an effort to ensure the agency’s resources will not be depleted it has established the following criteria:

- **Stop-loss point**
 - For mutual aid the agency will normally send a tanker truck and/or a Quint. Other specialized vehicle(s) may be sent in place of the tanker or Quint upon request.
 - The agency will normally not commit resources beyond the point of having only two remaining Quints within the City.
- **Resource exhaustion**
 - A Call-back (request for off-duty staff) will be initiated when additional staffing beyond the on-duty staffing and equipment capabilities is necessary to mitigate an effective response. This would normally occur when all on-duty resources have been depleted, or when specialized resources (i.e. hazmat technicians) are required.

- Requests for mutual aid from participating mutual aid communities will be initiated by the agency when all available resources have been utilized and are expected to be required for an extended period of time.
- **Authorization**
 - The decision to initiate and/or alter a stop-loss point or resource exhaustion point normally lies at the discretion of the Incident Commander/Shift Commander; through consultation with the Assistant Chief and/or the Chief

Comparability

It is important to compare the performance of the agency to other agencies of similar size. See Appendix I for comparable city data.

The data in Appendix I is from a recent La Crosse Common Council “Fire Department Management and Operations Review Committee” study that compared La Crosse to 34 cities in Wisconsin. The data compares population, square miles, number of fire stations, authorized firefighters, firefighters/1000 population, budget, and expenditures per capita. The study also compared services offered, equipment, response volume, property loss data, response times, building inspection data, city housing data, and agency community programs.

Significant findings listed in the study are as follows:

- La Crosse Fire Department ranked 9 out of 34 departments based upon cost per capita
- La Crosse Fire Department is one of two departments that does not have an ambulance service of the reporting agencies
- The City of La Crosse ranked 2 out of the 34 cities in percent of individuals living below the poverty line
- 49% of the housing stock in the City of La Crosse is rental property
- La Crosse Fire Department has one of the best overall response times of the reporting agencies
- La Crosse Fire Department community programming is at par or slightly above other fire departments in the state.

The agency also compared Insurance Service Organization (ISO) ratings in Appendix I. The agency has a Level 2 ISO rating. No fire department in Wisconsin has a Level 1 ISO rating.

Effective Response Force (ERF) for structure fire with low risk occupancy: Example is a detached garage.

Representative Tasks

The following table depicts LCFD’s likely critical tasks for a low risk structure fire with a hydrant water supply, and concludes with an Effective Response Force (ERF) of 12 personnel.

Rescue and Subsequent Fire Control	Firefighter Tasks	Number of Firefighters
Size-up, Incident Command, Accountability	Incident Command assumed by Shift Commander	1
Attack Line	Establish a pre-connect hose line for initial firefighting, search & rescue	2
	First arriving officer to supervise interior operations once command assumed by Shift Commander	1
Establish Water Supply	Water supply hook-up to hydrant with 5 inch hose	1
	Establish 5 inch water supply into first arriving pumper	1
Rescue	Search & rescue with additional back-up pre-connect hose	2
Rapid Intervention Team	On standby should firefighter rescue be required	2
Exposures, Utilities, Ventilation	Establish additional hose line if required to protect exposures and/or shut down utilities (e.g. natural gas). Provide ventilation as required	2 * assisted by water supply team
Total		12

Effective Response Force (ERF) for structure fire with moderate risk occupancy: Example is a typical single family dwelling.

Representative Tasks

The following table depicts LCFD’s likely critical tasks for a moderate risk structure fire with a hydrant water supply, and concludes with an Effective Response Force (ERF) of 14 personnel.

Rescue and Subsequent Fire Control	Firefighter Tasks	Number of Firefighters
Size-up, Incident Command, Accountability	Incident Command assumed by Shift Commander	1
Attack Line	Establish a pre-connect hose line for initial firefighting, search & rescue	2
	First arriving officer to supervise interior operations once command assumed by Shift Commander	1
Establish Water Supply	Water supply hook-up to hydrant with 5 inch hose	1
	Establish 5 inch water supply into first arriving pumper	1
Rescue	Search & Rescue with additional back-up pre-connect	2
Rapid Intervention Team	On standby should firefighter rescue be required	2
Exposures, Utilities, Ventilation	Establish additional hose line if required to protect exposures and/or shut down utilities (e.g. natural gas). Provide ventilation as needed	2 * assisted by water supply team
Confinement	Secondary search & rescue and fire attack operations with back up hose lines.	2
Total		14

Effective Response Force (ERF) for structure fire with high risk occupancy: Example is a large commercial or industrial property.

Representative Tasks

The following table depicts LCFD’s likely critical tasks for a high risk structure fire with a hydrant water supply, and concludes with an Effective Response Force (ERF) of 18 personnel.

Rescue and Subsequent Fire Control	Firefighter Tasks	Number of Firefighters
Size-up, Incident Command, Accountability	Incident Command assumed by Shift Commander	1
Attack Line	Establish a pre-connect hose line for initial firefighting, search & rescue	2
	First arriving officer to supervise interior operations once command assumed by Shift Commander	1
Establish Water Supply	Water supply hook-up to hydrant with 5 inch hose	1
	Establish 5 inch water supply into first arriving pumper	1
Rescue	Search & Rescue with additional back-up pre-connect	2
Rapid Intervention Team	On standby should firefighter rescue be required	2
Exposures, Utilities, Ventilation	Establish additional hose line if required to protect exposures and/or shut down utilities (e.g. natural gas). Provide ventilation as needed	2 * assisted by water supply team
Confinement	Additional search & rescue and fire attack operations with back up hose lines	6
Total		18

Effective Response Force (ERF) for an EMS response in the low category: Example is typical first responder response.

EMS	Firefighter Tasks	Number of Firefighters
Deliver patient care	Provide emergency medical services care at the EMT level with appropriate medical equipment	2
Total		2

Effective Response Force (ERF) for an EMS response in the moderate category: Example is a first responder code (pulseless non breathing patient).

EMS	Firefighter Tasks	Number of Firefighters
Deliver patient care	Provide emergency medical services care at the EMT level with appropriate medical equipment: including CPR and defibrillation	4
Total		4

Effective Response Force (ERF) for an EMS response in the high category: Example is a vehicle accident with injuries.

EMS	Firefighter Tasks	Number of Firefighters
Deliver Patient Care	Provide emergency medical services care at the EMT level with appropriate medical equipment	3
Conduct Vehicle Extrication	Provide vehicle extrication with the appropriate	2
Total		5

Effective Response Force (ERF) for a rescue response in the low category: Example is a person trapped in an elevator.

Rescue	Firefighter Tasks	Number of Firefighters
Conduct Rescue Operations	Provide rescue services with the appropriate rescue equipment	3
Total		3

Effective Response Force (ERF) for a rescue response in the moderate category: Example is a typical water rescue or technical rescue response with a single victim.

Rescue	Firefighter Tasks	Number of Firefighters
Size-up, Incident Command, Accountability	Incident Command assumed by Shift Commander	1
Operations Officer	Establish an operations officer to run the operations of the incident	1
Conduct Rescue Operations	Provide rescue services with the appropriate equipment (boats, rapid deployment crafts, technical rescue equipment) for a single victim rescue or a small scale incident	10
Support/Safety	Provide support (rescue back up team) and safety officer	2
Total		14

Effective Response Force (ERF) for a rescue response in the high category: Example is a water rescue or technical rescue response with multiple victims.

Rescue	Firefighter Tasks	Number of Firefighters
Size-up, Incident Command, Accountability	Incident Command assumed by Shift Commander	1
Operations Officer	Establish an operations officer to run the operations of the incident	1
Conduct Rescue Operations	Provide rescue services with the appropriate equipment (boats, rapid deployment crafts, technical rescue equipment) to rescue multiple victims or a large scale incident	14
Support/Safety	Provide support (rescue back up team) and safety officer	2
Total		18

Effective Response Force (ERF) for a hazardous materials response in the low category: Example is a vehicle leaking fuel or a carbon monoxide alarm investigation.

Hazardous Materials	Firefighter Tasks	Number of Firefighters
Conduct Hazardous Materials Operations	Provide hazardous materials services with the appropriate rescue equipment	3
Total		3

Effective Response Force (ERF) for a hazardous materials response in the moderate category: Example is a spill or leak mitigation or a single victim rescue.

Hazardous Materials	Firefighter Tasks	Number of Firefighters
Size-up, Incident Command, Accountability	Incident Command assumed by Shift Commander	1
Operations Officer	Establish an operations officer to run the operations of the incident	1
Conduct Hazardous Materials Operations (identify, monitor, sample, evacuate, rescue, decontaminate)	Provide hazardous materials services with the appropriate equipment (entry team, back up entry team, decon, research, medical support) for a single victim rescue or a small scale incident	13
Liaison/Safety	Provide support services and a safety officer	2
Total		17

**Effective Response Force (ERF) for a hazardous materials response in the high category:
Example is a large spill or leak investigation or a multiple victim rescue.**

Hazardous Materials	Firefighter Tasks	Number of Firefighters
Size-up, Incident Command, Accountability	Incident Command assumed by Shift Commander	1
Operations Officer	Establish an operations officer to run the operations of the incident	1
Conduct Hazardous Materials Operations (identify, monitor, sample, evacuate, rescue, decontaminate)	Provide hazardous materials services with the appropriate equipment (entry team, back up entry team, decon, research, medical support) for a multiple victim rescue or a large scale incident	20
Liaison/Safety	Provide support services and a safety officer	2
Total		24

Effective Response Force (ERF) for an emergency report out in the low category: Example is a power line complaint or water complaint.

Report Out	Firefighter Tasks	Number of Firefighters
Mitigate Incident	Provide services with the appropriate equipment to mitigate the incident (investigate and mitigate complaint)	3
Total		3

Effective Response Force (ERF) for an emergency report out in the moderate category: Example is an odor complaint.

Report Out	Firefighter Tasks	Number of Firefighters
Mitigate Incident	Provide services with the appropriate equipment to mitigate the incident investigate and mitigate complaint)	4
Total		4

Effective Response Force (ERF) for an emergency report out in the high category: Example is a bomb threat or airport stand-by.

Report Out	Firefighter Tasks	Number of Firefighters
Size-up, Incident Command, Accountability	Incident Command assumed by Shift Commander	1
Mitigate Incident	Provide services with the appropriate equipment to mitigate the incident (investigate and secure area)	7
Total		8

Demand Planning Zone Evaluation

All emergency incident types from the beginning of 2010 to end of 2013 were evaluated in each of the forty seven planning zones. The focus was to determine what zones posed the greatest number of emergency responses that were outside of the established benchmark of 6 minutes 30 seconds. The agency recorded emergency 90th percentile response times of the first arriving unit in the forty seven planning zones. See Appendix D(1) and D(2) for the results of this demand zone evaluation.

Observations:

Fringe areas of the city have worse response times than the core areas of the city (which is to be expected as fire station locations are in the core areas of the city). In most cases the fringe planning zones only contain a small portion of the city. Some fringe areas of the city have little to no request for agency services (for example; A3, B1, B9, C1, C2, E12, F6, F7, F9, F10, F12, G2, G3, and G4). Some fringe areas of the city have a small number of requests for agency services (for example; B2, B3, B5, B6, B8, C3, E3, E4, E5, F3, F4, F5, and F11). The bottom line is that the agency has poor response times to the fringe areas of the city, but the call volume is low to these areas.

Response times meet agency standards in the core areas of the city (where agency fire stations are located (in C5, C6, C7, and D8) and in close proximity to agency fire stations (planning zones surrounding C5, C6, C7, and D8).

The areas of greatest concern are where the agency has a higher call volume, but does not meet response time standards. These areas are mainly in the southeast portion of the city (for example; D9, D10, E9, E10, E11). Several of these areas require agency apparatus to travel via the State Road Overhead (Overpass) to avoid north/south train tracks which dissect the city from east to west. Station 3 apparatus use the State Road Overhead whenever they have an emergency response east of the train track, which slows response times, but ensures the arrival of apparatus versus being totally delayed by a train.

Compliance Methodology

Introduction

The purpose of this section is to determine the how, when, and what will be measured to ensure the Standards of Cover is valid and continues to provide the appropriate direction for the strategic planning process.


Compliance methodology requires that the service level objectives and performance measures are evaluated and efforts are made to reach or maintain the established levels.

The overall responsibility for the agency’s ongoing efforts to provide analysis and evaluation of the adopted Standards of Cover has been assigned to the Division Chief that serves as the accreditation manager. Assistance will be provided by the agency’s management staff, computer trainers, and other assigned designates in accordance with their established responsibility and work-plans.

The agency will continue to use Zoll Fire Records Management (RMS) system and Vinelight software in future analysis and evaluation of the Standards of Cover.

Compliance Model

The following compliance model is utilized to demonstrate the entire six-step systematic approach that will be taken on an annual basis. Certain components within the full model may be conducted more frequently (quarterly or bi-annually) to account for any unforeseen system variables



Strategic Initiatives and Goals

The La Crosse Fire Department implemented its community based five-year strategic plan in November of 2013. The plan consists of seven goals and fifteen related objectives. All tasks are accompanied by realistic timelines to ensure each one progresses through to completion; while providing a continuous forward motion towards the agency's self-improvement process. The goals and objectives of the strategic plan are reviewed monthly at administrative staff meetings to evaluate, report, and/or modify accordingly.

Those strategic goals and objectives that best describe the Standards of Cover compliance methodology are as follows:

Goal 3: An innovative work place focused on service excellence

Objective 3.1:	Achieve and maintain accreditation status
<p>Critical Tasks:</p>	<ul style="list-style-type: none"> • A) Finalize and submit required information to the Center for Public Safety Excellence (CPSE) for approval – strategic plan, standards of cover, risk assessment, and self-assessment documents Timeline : 2014 • B) Achieve accreditation status Timeline : 2015 • C) Follow through with action plans for improvement noted in self-assessment manual Timeline : 2014 and ongoing • D) Provide annual compliance reports to the CPSE and update LCFD staff on progress achieved and plans going forward Timeline : 2015 and ongoing • E) Undertake efforts to regularly evaluate service delivery methods and options for improvement consistent with CPSE accreditation requirements Timeline : 2014 and ongoing

Goal 3: An innovative work place focused on service excellence

Objective 3.2:	Achieve an Insurance Service Organization (ISO) rating of 1 and maintain status
Critical Tasks:	<ul style="list-style-type: none"> • A) Investigate critical tasks required to improve ISO rating Timeline : 2016 • B) Implement critical task action plans Timeline : 2016 • C) Conduct ISO review to achieve improved rating Timeline : 2017 • D) Evaluate service delivery and maintain ISO rating of 1 Timeline : 2017 and ongoing

Goal 4: Strategically placed and efficient equipment, apparatus and stations

Objective 4.1:	Identify and plan for improved station locations
<p>Critical Tasks:</p>	<ul style="list-style-type: none"> • A) Source funds for a station location study Timeline : 2014 • B) Conduct a study on optimum station locations Timeline : 2015- 2016 • C) Present plan to La Crosse Common Council for approval Timeline : 2015-2016 • D) Investigate implementing fire station additions and/or relocations Timeline : 2017 • E) Meet annually to review current station and apparatus needs and to ensure uniformity of standards Timeline : 2014 and ongoing

Goal 4: Strategically placed and efficient equipment, apparatus and stations

Objective 4.2:	Identify and plan for a new radio system
Critical Tasks:	<ul style="list-style-type: none"> • A) Conduct a study on aging city wide radio system Timeline : 2013 • B) Source funds for a new radio system Timeline : 2013 • C) Invite vendors for radio presentations Timeline : 2013 • D) Purchase new radio system Timeline : 2015 • E) Train with and implement new radio system Timeline : 2015 • F) Maintain new radio system Timeline : 2015 and ongoing

Goal 4: Strategically placed and efficient equipment, apparatus and stations

Objective 4.3:	Identify improvements in Fire/EMS in La Crosse and adjacent communities
Critical Tasks:	<ul style="list-style-type: none"> • A) Study potential automatic aid agreements with adjacent area communities Timeline : 2014-2015 • B) Investigate training opportunities with adjacent area agencies Timeline : 2015 • C) Study possibility of adjacent area fire/EMS with area communities Timeline : 2016 • D) Investigate cooperative purchasing with adjacent area agencies Timeline : 2017

Goal 6: An accountable and transparent agency with strong leadership

Objective 6.1:	Integration of the strategic plan
<p>Critical Tasks:</p>	<ul style="list-style-type: none"> • A) Implement and evaluate the Strategic Plan and Standards of Cover Timeline : 2014 and ongoing • B) Regularly report on progress achievements Timeline : 2014 and ongoing • C) Update the Strategic Plan and Standards of Cover to be consistent with accreditation and established guidelines Timeline : 2015 and ongoing

Goal 6: An accountable and transparent agency with strong leadership

Objective 6.2:	Continue to seek and incorporate staff feedback into planning and decision making
Critical Tasks:	<ul style="list-style-type: none"> • A) Collaborate annually with staff to support planning and improvement efforts Timeline : 2014 and ongoing • B) Encourage staff feedback on an ongoing basis Timeline : 2014 and ongoing • C) Report to staff on an ongoing basis on progress and planning efforts Timeline : 2014 and ongoing

Overall Evaluation

The purpose of the following section is to evaluate the current delivery system using the analysis and performance objectives/measures developed to this point. The output from this section will be a validation of those elements that are working correctly and a determination of recommendations for improvement in areas that are not.

Identification of System Strength/ Weakness/ Opportunities/ Threats (SWOT)

As indicated in the compliance methodology section, after the completion of a SWOT (Strengths, Weakness, Opportunities, and Threats) process all areas of performance that needs attention can be summarized into issues and solutions. Issues are directly related to attainment of performance measures and solutions are identified as scenarios. They are analyzed to determine which has a superior outcome for the issue.

In addition to the accreditation process the agency went through a similar process in recent years, with a 2011 “Fire Department Management and Oversight Committee” study conducted by the La Crosse Common Council. The study was conducted to analyze; staffing levels, GIS and response times, and finances. The information that was gathered came from a variety of sources that included; official city websites, Wisconsin Taxpayer Alliance, US Census Bureau, and published reports authored by individuals who are considered subject matter experts.

The study analyzed thirty four cities that had full time career departments in the State of Wisconsin. The committee received presentations from the director of 911 Emergency Dispatch Center, the medical director, and Tri State Ambulance. The study concluded, “it is the conclusion of this committee that our fire department is extremely well trained and run. We do not feel that they are over or under staffed at this time. We need to find ways to embrace and support this very important part of our city and be thankful for the excellent service that is provided. We feel that we are getting what we pay for.”

The study found that response times were adequate in core sections of the city and inadequate in outlying areas of the city. The study found that there was a need to increase the number of fire stations from four to five. A GIS specialist was hired to analyze response times and station locations. See Appendix H for GIS results.

The goals of this analysis were to provide the following:

- 1) Overall initial response map of the city with the four current stations
- 2) Overall initial response map of the city with the four current stations plus planned station at Hwy 14/61 & MM

- 3) Initial response map per station including planned station at Hwy 14/61 & MM
- 4) Analysis map of estimated best locations for station distribution for initial response

The following were the results of the Fire Department Management and Oversight Committee study:

- 1) Staffing levels were maintained at current levels
- 2) Fire stations were maintained at four fire stations
- 3) Redrawing of response zone maps to decrease response times
- 4) Apparatus was reassigned in newly created response zones to decrease response times
- 5) The La Crosse Fire Department Alarm Progression Manual was reviewed with the 911 Emergency Dispatch Center, which updated apparatus and the number of personnel assigned to all types of agency responses
- 6) A comprehensive station location study is included in the 2014-2018 Strategic Plan.

It should be noted that the City of La Crosse currently owns land at Hwy 14/61 & MM, which is designated for a future fire station. The upcoming fire station location study will conclude if this is the optimum site for a future fire station.

The agency recently completed a community based 5 year strategic plan for 2014 to 2018.

- Recently approved by La Crosse Common Council
- Internal & external stakeholder input to assist in establishing 7 goals & 15 related objectives
- What we heard from internal and external stakeholders; professionalism, pride, and commitment were among the greatest strengths of the La Crosse Fire Department.

- Top issues that were identified include:
 - 1) Effective communications is the key to success
 - 2) A need to develop a “community firefighting” program
 - 3) A comprehensive community education program is essential
 - 4) A need for a public information officer program
 - 5) An agency retention plan is essential

Conclusions/Recommendations

The overall evaluation is the culmination of the work accomplished throughout the accreditation process. The SWOT (Strength/ Weakness/ Opportunities/ and Threats) analysis was performed to evaluate all areas of performance, in particular with the Standards of Cover.

The outcome of the analysis is as follows in no order of importance:

- 1) First due response times
 - breakdown of the different time elements (call processing time, turnout time, and travel time) for the time period 2010 - 2013, indicated first due unit call processing, turnout times, and response times have room for improvement
 - provided La Crosse County 911 Emergency Dispatch Center with call processing times and requested that they investigate ways to improve call processing times
 - requested personnel to provide input on how to improve overall turnout times and response times
 - received input on; replacing current garage door closing systems with state of the art equipment to improve response times, and improving dispatch tones for faster turnout times
 - initiated corrective measures identified through improvement process

- monitoring progress
- The agency will continue to install traffic controlling devices referred to as “opticoms”. The devices are installed on traffic lights at all major intersections and commonly used routes. Opticoms are activated by a strobe light mounted on all agency response vehicles and will automatically change the traffic light from red to green upon approaching the intersection
- The agency will investigate improving fire station locations (to find optimum locations, to improve response times)

2) Reserve Pumpers

- Identified the importance of maintaining a fully equipped reserve fleet
- In the process of making repairs to Engine 11 (second reserve pumper)

3) Training Tower

- Identified the need to refurbish the live fire training portion of the training tower, which was completed in January of 2014

4) High Risk Occupancies

- Building risk assessment process identified high risk properties
- Beginning in January of 2014 the La Crosse Fire Department changed its response (increased apparatus and resulting personnel) to confirmed fires at high risk occupancies. Prior to 2014 the agency based response strategies solely on geography and response zones

5) Additional fire station or the relocation of fire stations

- a. The agency will source funding in 2014 for a study on optimum station locations
- b. The agency will conduct a study beginning in 2015 to study optimum station

locations

- c. The agency will present a plan to the La Crosse Common Council for approval in 2015/2016
 - d. The agency will investigate implementing fire station additions and/or relocations
- 6) City wide radio system upgrade
- a. The agency sourced funds for a new radio system in 2013
 - b. The agency invited vendors for radio presentations in 2013
 - c. The agency will purchase, implement, and train with the new radio system in 2015
- 7) Computer/Information Systems Specialist solely dedicated to the agency
- a. Currently the agency relies on support from a City Hall computer information specialist and this person is overburdened with work
 - b. The accreditation process was a struggle with existing resources
 - c. The agency hopes to source funds and secure this position in 2014 or 2015

